



**The article is no longer in our assortment.**

### Features:

### Logistic

#### FUTURELIGHT DMH-150 LED Moving Head

High performance LED moving head with 150 W COB LED

- Equipped with a 150 W COB LED - comparable to a 575 W discharge lamp
- With integrated wireless receiver for WDMX operation (Wireless Solution - made in Sweden)
- 21, 23 or 24 DMX channels selectable (up to software version 1.1.00)
- 14, 16, 21 or 24 DMX channels selectable (from software version 1.1.01)
- Effect wheel with rotating 3-facet prism and 8-facet prism and frost filter
- Color wheel with 8 different dichroic color filters plus white
- Rainbow effect with adjustable speed in both directions
- Gobo wheel with 7 rotating gobos plus open
- All gobos can be interchanged
- Slot-in gobo system for exchanging gobos without tools
- With gobo shake function
- Gobo wheel 2 with 7 static gobos plus open
- Exact positioning via 16 bit PAN/TILT movement resolution
- Motorized focus
- Autofocus
- Steplessly adjustable iris
- Dimmer
- Strobe effect with adjustable speed
- Random strobe effect

- Automatic position correction
- PAN angle switchable between 540° and 630°
- Sound-controlled via built-in microphone
- Switch-mode power supply
- Automatic power supply adaption between 100 and 240 Volts without power selector
- Control board with graphic LCD display and foil-keyboard for adjusting the DMX-starting address, PAN/TILT reverse, reset
- DMX-controlled operation or stand-alone operation with Master/Slave function
- The scenes can be modified via the Control Board or via an external controller and loaded into the memory
- Number of scenes can be changed individually
- Software upload by optional accessories via DMX link
- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device
- After every 8 device the fixtures must have a renewed connection with the power mains
- DMX control via every standard DMX controller
- Can be operated in 21 CH mode
- Control via sound to light via microphone; DMX; RDM

#### **ROADINGER Flightcase 4x DMH-90/150/DMB-160/PLB-230**

Trunk case with castors, PRO version

- For optimal security
- With 4 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 8 hinged, chromium plated case handles
- 2 tip-over locks
- 2 high-quality butterfly locks
- Closes with a
- 4 x castors with 2 locking brakes
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### **Technical specifications:**

|         |          |
|---------|----------|
| Weight: | 98.30 kg |
|---------|----------|

#### **FUTURELIGHT DMH-150 LED Moving Head**

|                         |                                              |
|-------------------------|----------------------------------------------|
| Power supply:           | 100-240 V AC, 50/60 Hz                       |
| Power consumption:      | 210 W                                        |
| Max. TILT movement:     | 270° positioning                             |
| Max. PAN movement:      | 630° positioning                             |
| Gobos:                  | Outside diameter 27mm<br>Image diameter 22mm |
| DMX channels:           | 21                                           |
| Control:                | Sound to light via microphone; DMX; RDM      |
| Fixtures available for: | Light Captain                                |
| Beam angle (1/2 peak):  | 14°                                          |
| Color:                  | Black                                        |
| Dimensions:             | Width: 34.3 cm                               |

|                                |                                            |
|--------------------------------|--------------------------------------------|
|                                | Depth: 25 cm<br>Height: 42.8 cm            |
| Weight:                        | 14.10 kg                                   |
| DMX channels:                  | 21/23/24 (up to software version 1.1.00)   |
| DMX channels:                  | 14/16/21/24 (from software version 1.1.01) |
| DMX connection:                | 3-pin XLR                                  |
| Sound-control:                 | via built-in microphone                    |
| Wireless signal transmission:  | 2.4 GHz (ISM)                              |
| LED type:                      | Array 150 W                                |
| LED number:                    | 1                                          |
| Beam angle:                    | 14°                                        |
| Color-wheel:                   | 8 dichroic filters plus open               |
| Static gobo-wheel:             | 7 gobos and open                           |
| Rotating gobo-wheel:           | 7 gobos and open                           |
| Outside diameter of the gobos: | 27 mm                                      |
| Image diameter of the gobos:   | 22 mm                                      |
| Maximum PAN-movement:          | 630°                                       |
| Maximum TILT-movement:         | 270°                                       |
| Dimensions (L x W x H):        | 343 x 250 x 428 mm                         |

#### **ROADINGER Flightcase 4x DMH-90/150/DMB-160/PLB-230**

|                          |                                                    |
|--------------------------|----------------------------------------------------|
| Maximum load:            | 100 kg                                             |
| Aluminum profile frames: | 30 mm                                              |
| Case handle:             | 8 pc/pcs                                           |
| Stop hinge:              | 2 pc/pcs                                           |
| Lock:                    | Butterfly lock: 2 pc/pcs                           |
| Transport aid:           | 4 x castors with 2 locking brakes                  |
| Use of brands:           | Branded hardware                                   |
| Material:                | Birch multiplex, 7 mm                              |
| Color:                   | Dark brown, laminated                              |
| Device compartment:      | 29.5 cm x 27 cm x 41 cm                            |
| Middle compartment:      | 9.5 cm x 54 cm x 46.5 cm                           |
| Inside dimensions:       | 94.5 cm x 56 cm x 46.5 cm                          |
| Dimensions:              | Width: 102.5 cm<br>Depth: 60.5 cm<br>Height: 72 cm |
| Weight:                  | 41.90 kg                                           |

#### **Scope of delivery:**