



**The article is no longer in our assortment.**

### Features:

### Logistic

#### EUROLITE LED PAR-56 COB RGB 100W bk

PAR spot with 100 W COB LED and RGB color mixing

- Stepless color blend, color change, dimmer and strobe effect
- Dimmer speed (step response) adjustable
- Stand-alone or DMX mode
- Locking possibility at the mounting bracket
- With color filter frame
- Various versions available
- 1 LED 100 W COB (chip-on-board) 3in1 RGB (homogenous color mix)
- Strobe effect
- Can be operated in 3; 5 CH mode
- Control via DMX; sound to light via microphone
- With a beam angle of 40°
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### ROADINGER Flightcase 4x PAR-56 Spot long

Trunk case, PRO version

- Detachable compartments - case can also be used as universal transport case
- Extra high for transport of spots in short version with mounted hook
- With 4 device compartments

- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 1 high-quality butterfly lock
- Closes with a
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

|         |          |
|---------|----------|
| Weight: | 21.20 kg |
|---------|----------|

### EUROLITE LED PAR-56 COB RGB 100W bk

|                         |                                                                                                                                  |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Power supply:           | 230 V AC, 50 Hz                                                                                                                  |
| Power consumption:      | 130 W                                                                                                                            |
| Protection class:       | Protection class I                                                                                                               |
| Power connection:       | Fixed power supply cord with safety plug                                                                                         |
| Cable length:           | Approx. 1 m                                                                                                                      |
| Lamp type:              | LED lamp                                                                                                                         |
| LED type:               | 1 x 100 W COB (chip-on-board) 3in1 RGB (homogenous color mix)                                                                    |
| DMX channels:           | 3; 5                                                                                                                             |
| Control:                | DMX; sound to light via microphone                                                                                               |
| Fixtures available for: | Light´ J; LED PC-Control 512; EASY SHOW 1; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain |
| Beam angle:             | 40°                                                                                                                              |
| Beam angle (1/2 peak):  | 40°                                                                                                                              |
| Housing color:          | Black                                                                                                                            |
| Dimensions:             | Width: 24 cm<br>Depth: 36.5 cm<br>Height: 31.5 cm                                                                                |
| Weight:                 | 2.90 kg                                                                                                                          |
| Noise classification:   | Class 2 (slight noise)                                                                                                           |

### ROADINGER Flightcase 4x PAR-56 Spot long

|                          |                          |
|--------------------------|--------------------------|
| Maximum load:            | 50 kg                    |
| Aluminum profile frames: | 30 mm                    |
| Case handle:             | 2 pc/pcs                 |
| Stop hinge:              | 2 pc/pcs                 |
| Lock:                    | Butterfly lock: 1 pc/pcs |

|                     |                                                     |
|---------------------|-----------------------------------------------------|
| Use of brands:      | Branded hardware                                    |
| Material:           | Birch multiplex, 7 mm                               |
| Color:              | Dark brown, laminated                               |
| Device compartment: | 22 cm x 22 cm x 34 cm                               |
| Inside dimensions:  | 44 cm x 44 cm x 34 cm                               |
| Dimensions:         | Width: 48.5 cm<br>Depth: 48.5 cm<br>Height: 42.5 cm |
| Weight:             | 9.60 kg                                             |

**Scope of delivery:**