



Features:

Logistic

EUROLITE LED ML-56 QCL RGBW/RGBA 18x8W si

PRO DMX spotlight with 18 x 8 W 4in1 LED

- Equipped with 4in1 LEDs in the colors red, green, blue and white and six in the colors red, green, blue and amber
- Through the close chip placement of the multichip technology, an exquisite color blend, even with short distances to the illuminated surface, is guaranteed
- Operable in stand-alone mode or DMX
- Functions: Static colors, RGBAW color blend, color change, color fade, internal programs, dimmer and strobe settings via DMX; Master/Slave
- 3, 5, 7, 8 channel DMX mode selectable
- Sound-control via built-in microphone
- Comfortable addressing and setting via control panel with LED display and three operating buttons
- Easy installation
- Locking possibility at the mounting bracket
- Available in silver or black
- Ready for connection via power cord with safety plug
- DMX512 control possible via any commercial DMX controller
- 18 LEDs 8 W
- Strobe effect
- Control via stand-alone; DMX

ROADINGER Flightcase 8x ML-56/ML-64

Trunk case with castors

- With 8 device compartments
- With accessory compartment
- High-quality workmanship with plywood multi-layer glued 10 mm, black, laminated
- Interior with foam padding
cover with foam padding
- Aluminum profile frames 30mm with rounded edges
- 4 hinged, chromium plated case handles
- 2 high-quality butterfly locks
- Closes with a
- 4 x castors with 2 locking brakes
- 4 x built-in stacking trays in the cover
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	69.80 kg
---------	----------

EUROLITE LED ML-56 QCL RGBW/RGBA 18x8W si

Power supply:	230 V AC, 50 Hz
Power consumption:	190.00 W
Lamp type:	LED lamp
LED type:	18 x 8 W
Control:	Stand-alone; DMX
Fixtures available for:	Light´ J; LED PC-Control 512; Light Captain
Beam angle (1/2 peak):	18°
Housing color:	Silver
Dimensions:	Width: 24 cm Depth: 30 cm Height: 31 cm
Weight:	4.60 kg
DMX channels:	3/5/7/8
DMX connection:	3-pin XLR
Sound-control:	via built-in microphone
LED type:	8 W QCL
LED number:	18
Beam angle:	18°
Dimensions (L x W x H):	240 x 300 x 310 mm

ROADINGER Flightcase 8x ML-56/ML-64

Maximum load:	50 kg
Aluminum profile frames:	30 mm
Case handle:	4 pc/pcs

Lock:	Butterfly lock: 2 pc/pcs
Transport aid:	4 x castors with 2 locking brakes 4 x built-in stacking trays in the cover
Material:	Plywood multi-layer glued, 10 mm
Color:	Black, laminated
Device compartment:	22 cm x 22 cm x 26.5 cm
Accessory compartment:	12.5 cm x 28 cm x 23.5 cm
Inside dimensions:	113.5 cm x 58 cm x 26.5 cm
Accessory compartment:	12.5 cm x 19 cm x 23.5 cm
Dimensions:	Width: 119 cm Depth: 63.5 cm Height: 50 cm
Weight:	33.00 kg

Scope of delivery: