



The article is no longer in our assortment.

Features:

Logistic

FUTURELIGHT PRO Pixel Slim PAR-12 TCL

PRO slimline LED spot with 3 W 3in1 LEDs

- Equipped with 12 x 3in1 tricolor LEDs in the colors red, green and blue
- Each LED can be controlled individually
- 3, 5, 9, 12 or 36 DMX channels selectable for various applications
- Flat housing form requires minimal space when rigging
- Extremely compact housing in a beautiful design
- Second mounting bracket for safe standing installation
- Locking possibility at the brackets with large metal butterfly screws
- Convection cooling entirely via cooling ribs, no fans
- Functions: static colors, RGB color mixture, preset color temperatures, automatic color change, built-in programs, dimmer, strobe effect, sound-control, Master/Slave operation
- Dimmer speed (step response) adjustable
- Sound-controlled via built-in microphone
- Microphone-sensitivity adjustable via rotary-control
- Comfortable addressing and setting via Control Board with four operating buttons and LED display with four-digit 14-segment display
- Operable in stand-alone mode or via DMX
- Master/Slave for parallel operation of several devices
- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device

- After every 8 devices the fixtures must have a renewed connection with the power mains
- DMX512 control via regular DMX-controller

ROADINGER Flightcase 4x PRO Slim Size M

Trunk case, PRO version

- With accessory compartment
- With 4 device compartments
- High-quality workmanship with birch multiplex 7 mm, black, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Closes with a
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	24.20 kg
---------	----------

FUTURELIGHT PRO Pixel Slim PAR-12 TCL

Power supply:	230 V AC, 50 Hz
---------------	-----------------

Power consumption:	60.00 W
--------------------	---------

Fixtures available for:	Light J; Light Captain
-------------------------	------------------------

Dimensions:	Width: 29.8 cm Depth: 10.7 cm Height: 32.3 cm
-------------	---

Weight:	3.75 kg
---------	---------

DMX channels:	3/5/9/12/36
---------------	-------------

DMX connection:	3-pin XLR
-----------------	-----------

Sound-control:	via built-in microphone
----------------	-------------------------

LED type:	3 W TCL
-----------	---------

LED number:	12
-------------	----

Beam angle:	13°
-------------	-----

Dimensions (L x W x H):	95 x 265 x 270 mm
-------------------------	-------------------

ROADINGER Flightcase 4x PRO Slim Size M

Maximum load:	50 kg
---------------	-------

Aluminum profile frames:	30 mm
--------------------------	-------

Case handle:	2 pc/pcs
--------------	----------

Stop hinge:	2 pc/pcs
-------------	----------

Lock:	Butterfly lock: 2 pc/pcs
-------	--------------------------

Use of brands:	Branded hardware
----------------	------------------

Material:	Birch multiplex, 7 mm
Color:	Black, laminated; dark brown, laminated
Inside dimensions:	27 cm x 265 cm
Middle compartment:	14 cm x 27 cm x 25 cm
Compartment dimensions:	12 cm x 27 cm x 25 cm
Dimensions:	Width: 68.5 cm Depth: 30.5 cm Height: 36 cm
Weight:	9.20 kg

Scope of delivery: