

ALUTRUSS TRILOCK E-GL33 Karree 3,5x3,5x3m

Art. No.: 09000075

GTIN:



The article is no longer in our assortment.

Features:

Logistic

ALUTRUSS TRILOCK E-GL33 C-33 3-way Corner

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

ALUTRUSS TRILOCK E-GL33 C-34 3-way Corner

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

ALUTRUSS TRILOCK E-GL33 2500 3-way Cross Beam

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

ALUTRUSS TRILOCK E-GL33 Base/Wall Plate QTGE male

- Trusspipe: 50 mm
- Made in Europe

Technical specifications:

Weight:	102.36 kg
---------	-----------

ALUTRUSS TRILOCK E-GL33 C-33 3-way Corner

Setup:	Easy installation
Corner angle:	90°
Trusspipe:	50 mm x 2 mm
Alloy:	EN-AW 6082 T6 (AlSi1Mg)
Color:	Alu colored
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	4.45 kg

ALUTRUSS TRILOCK E-GL33 C-34 3-way Corner

Setup:	Easy installation
Corner angle:	90°
Trusspipe:	50 mm x 2 mm
Alloy:	EN-AW 6082 T6 (AlSi1Mg)
Color:	Alu colored
Dimensions:	Length: 50 cm Width: 50 cm Height: 50 cm
Weight:	4.45 kg

ALUTRUSS TRILOCK E-GL33 2500 3-way Cross Beam

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5

Alloy:	EN-AW 6082 T6 (AlSi1Mg)
Color:	Alu colored
Dimensions:	Length: 250 cm Width: 29 cm Height: 25.70 cm
Weight:	10.12 kg

ALUTRUSS TRILOCK E-GL33 Base/Wall Plate QTGE male

Trusspipe:	50 mm
Color:	Alu colored
Weight:	0.90 kg

Scope of delivery:

2 x ALUTRUSS TRILOCK E-GL33 C-33 3-way Corner

2 x connection set

2 x ALUTRUSS TRILOCK E-GL33 C-34 3-way Corner

2 x connection set

8 x ALUTRUSS TRILOCK E-GL33 2500 3-way Cross Beam

1 x connection set