



**The article is no longer in our assortment.**

### Features:

### Logistic

#### EUROLITE LED KLS-1001 Compact-Light-Set

DMX LED spotlight set with 48 x 3in1 LED for mobile use

- Complete LED light set with four slimline LED spots
- Crossbar with integrated DMX control unit
- Installation via TV pin for tripods with 28 mm interior diameter
- Ultra-light ideally suited for mobile use
- Comes pre-assembled with practical transport bag
- 12 TCL LEDs per spot
- Through the close chip placement of the multichip technology, an exquisite color mix even with short distances to the illuminated surface is provided
- Movable and tiltable spotlights
- DMX-controlled operation or stand-alone operation with processor-controlled color change
- Master/Slave operation
- Sound-control via built-in microphone with sensitivity control
- Convenient control possible via optional 4-pedal foot pedal FP-1 or IR remote control
- DMX512 control via regular DMX controller (occupies 15 channels)
- Optimized for control with the optional control panel DMX LED Operator 4
- Via DMX, each spot can be individually controlled
- DMX functions: dimmer, automatic mode, music control, strobe effect
- Addressing and setting via control panel with 4-digit LED display
- Suited for installation on a lighting stand (not included) or truss

- Black lacquered metal version
- Ideal for bands, stages or solo entertainers
- Ready for connection with power cord and safety plug
- 4 IEC outputs for power supply of further devices
- Control via stand-alone; DMX; foot switch (optional); IR remote control (optional)
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### **EUROLITE DMX LED Operator IR2DMX**

IR control module to control 4 RGB spotlights and KLS sets

- DMX controller for LED devices with infrared receiver
- Suitable for matching EUROLITE IR remote (optional accessory, required for use)
- Inexpensive solution for controlling LED effects with 5-channel standard DMX protocol or KLS spotlight sets
- 4 LED parcans, one KLS light set and one LED BAR can be controlled at the same time
- Functions: static colors, automatic color change, internal programs, strobe effect, Master/Slave
- 47 control channels
- 3-pin XLR DMX output
- Control in stand-alone mode and DMX programming
- Sound-control via built-in microphone
- Adjustable microphone sensitivity via remote control
- Can transmit up to 47 DMX channels
- Control via IR remote control (optional); DMX; sound to light via microphone
- Interface
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### **EUROLITE IR-Remote for LED-Devices**

Addressing and programming via infrared

- Operable up to 10 m
- Functions: programming of RGB dimming, Master/Slave function, DMX mode, DMX addressing as well as internal programs, auto mode, strobe effect with adjustable speed
- Control via IR remote control

### **Technical specifications:**

---

|         |          |
|---------|----------|
| Weight: | 13.00 kg |
|---------|----------|

---

#### **EUROLITE LED KLS-1001 Compact-Light-Set**

|                         |                                                                                   |
|-------------------------|-----------------------------------------------------------------------------------|
| Power supply:           | 230 V AC, 50 Hz                                                                   |
| Power consumption:      | 180.00 W                                                                          |
| Lamp type:              | LED lamp                                                                          |
| Control:                | Stand-alone; DMX; foot switch (optional); IR remote control (optional)            |
| Fixtures available for: | Light J; LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3 |
| Beam angle (1/2 peak):  | 18°                                                                               |
| Housing color:          | Black                                                                             |
| Dimensions:             | Width: 120 cm<br>Depth: 6.5 cm<br>Height: 31.5 cm                                 |
| Weight:                 | 12.65 kg                                                                          |
| DMX channels:           | 15                                                                                |

|                              |                         |
|------------------------------|-------------------------|
| DMX connection:              | 3-pin XLR               |
| Sound-control:               | via built-in microphone |
| LED type:                    | 3 W TCL                 |
| Number of LEDs:              | 48                      |
| Beam angle:                  | 18°                     |
| TV spigot:                   | D = 28 mm               |
| Dimensions (L x W x H):      | 1200 x 65 x 315 mm      |
| Dimensions case (L x W x H): | 1250 x 120 x 380 mm     |

#### **EUROLITE DMX LED Operator IR2DMX**

|                    |                                                                                                                 |
|--------------------|-----------------------------------------------------------------------------------------------------------------|
| Power supply:      | 100-240 V AC, 50/60 Hz<br>9V DC 500 mA                                                                          |
| Power consumption: | 6.00 W                                                                                                          |
| Power connection:  | Mains input via coaxial power connector (M)<br>mounting version power supply cord with AC<br>adapter (provided) |
| DMX channels:      | Output 47                                                                                                       |
| DMX output:        | 1 x 3-pin XLR (F) mounting version                                                                              |
| Control:           | IR remote control (optional); DMX; sound to light<br>via microphone                                             |
| Housing color:     | Black                                                                                                           |
| Color:             | Black                                                                                                           |
| Housing design:    | Interface                                                                                                       |
| Dimensions:        | Width: 11 cm<br>Depth: 10 cm<br>Height: 3.5 cm                                                                  |
| Weight:            | 0.33 kg                                                                                                         |

#### **EUROLITE IR-Remote for LED-Devices**

|             |                                                            |
|-------------|------------------------------------------------------------|
| Control:    | IR remote control                                          |
| Dimensions: | Width: 4.6 cm<br>Depth: 11 cm<br>Height: 0.7 cm            |
| Weight:     | 0.02 kg                                                    |
| Battery:    | 1 x button cell 3.0 V CR2025 lithium manganese<br>built-in |

#### **Scope of delivery:**

1 x remote control  
1 x battery