



Features:

Logistic

EUROLITE LED SLS-5 QCL 5x5W Floor

Slimline LED spot with 5 x 5 W 4in1 LED

- Equipped with 4in1 quadcolor LEDs for homogeneous light output in the colors red, green, blue and white
- Flat housing form requires minimal space when rigging
- Second mounting bracket for safe standing installation
- Comfortable addressing and setting via control panel with LED display
- Functions: Static colors, RGBW color blend, internal programs, dimmer, strobe, sound-control, sensitivity
- Further display settings: display on or off, display inverted, default settings
- Operable in stand-alone mode or via DMX
- Master/Slave for parallel operation of several devices
- DMX512 control via regular DMX-controller
- Number of DMX channels selectable for numerous applications
- Sound-control via built-in microphone
- Ready for connection with power cord and safety plug
- Feed-through output allows to power up to 8 devices
- Switch-mode power supply for operation between 100 and 240 volts
- Can be operated in 4 CH mode
- Control via sound to light via microphone

ROADINGER Flightcase 4x SLS Size M

Trunk case, PRO version

- Individually adjustable and removable dividers for universal use
- With 4 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- Hinged, chromium plated case handle
- 2 chrome tip-over locks
- 1 high-quality butterfly lock
- Closes with a
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	19.45 kg
---------	----------

EUROLITE LED SLS-5 QCL 5x5W Floor

Power supply:	100-240 V AC, 50/60 Hz
---------------	------------------------

Power consumption:	24 W
--------------------	------

DMX channels:	4
---------------	---

Control:	Sound to light via microphone
----------	-------------------------------

Fixtures available for:	Light´J; Light Captain
-------------------------	------------------------

Beam angle (1/2 peak):	40°
------------------------	-----

Dimensions:	Width: 23 cm Depth: 11 cm Height: 27 cm
-------------	---

Weight:	2.95 kg
---------	---------

DMX channels:	4/6/7
---------------	-------

DMX connection:	3-pin XLR
-----------------	-----------

Sound-control:	via built-in microphone
----------------	-------------------------

LED type:	5 W QCL
-----------	---------

LED number:	5
-------------	---

Beam angle:	40°
-------------	-----

Ventilation fan:	No
------------------	----

Dimensions (W x D x H):	230 x 110 x 270 mm
-------------------------	--------------------

ROADINGER Flightcase 4x SLS Size M

Maximum load:	25 kg
---------------	-------

Aluminum profile frames:	30 mm
--------------------------	-------

Case handle:	1 pc/pcs
--------------	----------

Stop hinge:	2 pc/pcs
-------------	----------

Lock:	Butterfly lock: 1 pc/pcs
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Compartment dimensions:	12 cm x 25 cm x 35.5 cm
Inside dimensions:	49.5 cm x 25 cm x 35.5 cm
Dimensions:	Width: 52.5 cm
	Depth: 28.5 cm
	Height: 44.5 cm
Weight:	7.65 kg

Scope of delivery: