

HAZEBASE Cap*cased Fogger + M Fog fluid 5l

Art. No.: 09000259

GTIN:



The article is no longer in our assortment.

Features:

Logistic

HAZEBASE Base*Cap*Cased Fogger

PRO compact fog machine in its own case with 650 W power

- DMX controlled
- Low power requirement, only 650 W
- Amptown flightcase serial-production
- Low fluid consumption
- Small, light and compact
- 2 liter container can be replaced without refilling
- Continuous fogging possible
- Only use original Hazebase fluid for flawless operation
- Other fluids may damage the unit or cause malfunction
- Output distance: Approx. 7 m
- Can be operated in 1 CH mode
- Control via wireless remote control (optional); stand-alone; analog 0-10 V; DMX; wired remote control (optional); timer
- Made in Germany
- For further information about this product, please refer to the Data Sheet under "Downloads"

HAZEBASE Base*M Fog Fluid 5l

Medium lasting smoke liquid

- Odorless
- Non-toxic
- Not harmful to health
- Biodegradable
- Non-flammable, no transport restrictions, no hazardous material
- Permanent quality control
- Water-based fluid ready for use
- Made in Germany
- For application areas such as: Small rental; clubs/dancing school

Technical specifications:

Weight:	17.90 kg
---------	----------

HAZEBASE Base*Cap*Cased Fogger

Power supply:	230 V AC, 50 Hz
Power consumption:	650 W
Power connection:	Fixed power supply cord with safety plug
Warm-up time:	Approx. 7 min
Output distance:	Approx. 7 m
Output duration:	40s
Tank capacity:	2 l
Fluid consumption:	Approx. 15 ml/min - 60 ml/min
DMX channels:	1
DMX input:	1 x 5-pin XLR (M) mounting version
DMX output:	1 x 5-pin XLR (F) mounting version
Control:	Wireless remote control (optional); stand-alone; analog 0-10 V; DMX; wired remote control (optional); timer
Operating principle:	Vaporizing fog machine
Heater:	650 W
Color:	Black
Dimensions:	Width: 24 cm Depth: 44 cm Height: 30.5 cm
Weight:	12.60 kg

HAZEBASE Base*M Fog Fluid 5l

Container size:	5 l
Type of fluid:	Water-based fluid ready for use
Weight:	5.30 kg

Scope of delivery:
