

The article is no longer in our assortment.

Features:

Logistic

EUROLITE Raylight PAR-64,GY-9.5 Socket long

The alternative to traditional lamps

- Immediately and without changing the wiring, exchangeable by flanged on pin socket (GX 16) against a PAR-64 lamp
- Cost savings, as only the burner must be replaced at a lamp change
- Longlife lamp types (up to 2.000 h) also save time and money
- Low weight

PHILIPS 7389 A1/244 230V/500W GY-9.5 75h<p class='attributgroup'>Studio-lamp for base GY-9.5

- Base one-sided
- Easy replacement of lamps
- Rated voltage 230 V
- For further information about this product, please refer to the Data Sheet under "Downloads"

EUROLITE PAR-64 Spot Long with Cable sil

Long PAR-64 housing (with open cable ends)

- 4 clip-to-hold clamps with spring locks for comfortable opening of the color filter frame

- Safety grille (splinter protection) is integrated in the tube
- Strong clamps with extension springs for safe hold and for quick opening of the rear housing cover
- Blackened tube for precise light output
- Strong cable tension relief
- With mounting bracket
- Available in various colors
- For PAR 64
- For application areas such as: Advertisement/Shop window; decoration; clubs/dancing school

Technical specifications:

Weight:	1.79 kg
---------	---------

EUROLITE Raylight PAR-64,GY-9.5 Socket long

Power supply:	230 V AC, 50 Hz
---------------	-----------------

Power consumption:	500 W
--------------------	-------

Base:	GY9.5; GX16d
-------	--------------

Beam angle (1/2 peak):	NSP
------------------------	-----

Color:	Alu colored
--------	-------------

Dimensions:	Diameter: Ø 20.3 cm
-------------	---------------------

Weight:	0.14 kg
---------	---------

PHILIPS 7389 A1/244 230V/500W GY-9.5 75h

Type of lamp:	Halogen bulb lamp
---------------	-------------------

Manufacturer:	PHILIPS
---------------	---------

Voltage:	230 V
----------	-------

Wattage:	500 W
----------	-------

Current:	-
----------	---

Socket:	GY-9.5
---------	--------

Luminous flux:	14000 Lm
----------------	----------

Burning position:	s90
-------------------	-----

Arc gap:	9.5 mm
----------	--------

Color temperature:	3200 K
--------------------	--------

Color rendering index (CRI):	-
------------------------------	---

Lifetime:	75 h
-----------	------

Dimmable:	Yes
-----------	-----

Hot restrike:	-
---------------	---

Diameter:	22 mm
-----------	-------

Height:	75 mm
---------	-------

EUROLITE PAR-64 Spot Long with Cable sil

Power supply:	230 V AC, 50 Hz
Power consumption:	Max. 1000 W
Protection class:	Protection class I
Power connection:	Fixed supply cord with open wires
Cable length:	Approx. 0.7 m
Base:	GX16d
Lamp type:	Selectable
Color generation:	Via color filter frame (optional)
Housing color:	Silver
Attachment system:	Mounting bracket
Slot for spot length:	25.7 cm x 25.7 cm
Dimensions:	Length: 41.5 cm Width: 26.5 cm Height: 34.5 cm
Weight:	1.63 kg
Dimensions:	Length: 25.5 cm Width: 25.5 cm Diameter: Ø 20.2 cm

Scope of delivery:

- 1 x spotlight
- 1 x filter frame
- 1 x lamp clamping ring
- 1 x user manual