



The article is no longer in our assortment.

Features:

Logistic

EUROLITE PAR-30 Spot black

PAR-30 housing with E27 socket (with plug + cable)

- 4 clip-to-hold clamps with spring locks for comfortable opening of the color filter frame
- Strong clamps with extension springs for safe hold and for quick opening of the rear housing cover
- Blackened tube for precise light output
- Suitable for different spot angles
- Small lighting-systems can also be realized with a small budget
- Control via plug and play
- With mounting bracket
- For PAR 30
- For application areas such as: Clubs/dancing school; decoration; Trade fair and shop fitting; party room; restaurants, bars and hotels; advertisement/Shop window
- Silent operation

OMNILUX PAR-30 240V/100W E-27 spot

PAR-30 lamp

- Halogene lamp, suitable for E-27-socket (230 V~)
- Clear, brilliant halogene light for spot (10°) or Flood (30°)
- Operation at mains voltage without transformator

- Front screen provides for low bleaching and protects against contact with and soiling of burner
- Easy replacement with normal E-27 reflector lamps
- Average lifetime 2000 hours
- Constant light flow and no blackening of the burner during lifetime
- Any burner position possible
- Dimmable
- Hot restrike
- Very high color rendering index (CRI)

Technical specifications:

Weight:	0.69 kg
---------	---------

EUROLITE PAR-30 Spot black

Power supply:	230 V AC, 50 Hz
---------------	-----------------

Power consumption:	Max. 100 W
--------------------	------------

Protection class:	Protection class I
-------------------	--------------------

Suitable lamp:	Max. 230 V/100 W E27
----------------	----------------------

Power connection:	Fixed power supply cord with safety plug
-------------------	--

Cable construction:	3 x 0.75 mm² H05SS-F
---------------------	----------------------

Cable length:	Approx. 0.4 m
---------------	---------------

Base:	E27
-------	-----

Lamp type:	Selectable
------------	------------

Color generation:	Via color filter frame
-------------------	------------------------

Control:	Plug and play
----------	---------------

Construction:	PAR-30
---------------	--------

Housing color:	Black matte
----------------	-------------

Attachment system:	Mounting bracket
--------------------	------------------

Material:	Aluminum
-----------	----------

Slot for spot length:	12.8 cm x 12.8 cm
-----------------------	-------------------

Dimensions:	Length: 23.5 cm Width: 14.5 cm Height: 21 cm
-------------	--

Weight:	0.53 kg
---------	---------

Noise classification:	Class 0 (no noise at all)
-----------------------	---------------------------

Diameter mounting holes:	2 x Ø10mm
--------------------------	-----------

Material:	Aluminum, 3 mm
-----------	----------------

Shape:	Octagonal
--------	-----------

Material:	Aluminum, 0.5 mm
-----------	------------------

Dimensions:	Length: 12.6 cm Width: 12.6 cm Diameter: Ø 9.4 cm
-------------	---

Weight:	0.022 kg
---------	----------

OMNILUX PAR-30 240V/100W E-27 spot

Voltage (lamps):	240 V, AC
Nominal wattage:	100 W
Base:	E27
Lamp type:	Halogen lamp; clear lamp; high voltage lamp; reflector lamp; halogen bulb
Lamp specification:	Dimmable Hot restrike
Beam angle:	10°
Color of light:	White
Color temperature:	2700K
Color rendering index (CRI):	95 Ra
Lead time:	0 s
Construction:	PAR-30
Operating temperature max.:	40° C
Operating temperature min.:	20° C
Burning position:	S180 (universal)
Lamp life:	2000 h
Luminous flux:	800 lm
Dimensions (LxD):	92x95 mm

Scope of delivery:

- 1 x spotlight
- 1 x filter frame
- 1 x user manual