



### Features:

### Logistic

#### EUROLITE Black Gun UV Spot for E-40/400W

Black light housing with wide beam for E40 /400 W UV lamp

- High-quality reflector
- Enormous strong UV-beam
- Suitable for larger distances
- The device is cooled by passive convection cooling
- Control via plug and play
- With a beam angle of 60°
- Black metal grille
- For application areas such as: Stage; clubs/dancing school; theater; video and photography
- Very quiet working noise

#### OMNILUX UV Lamp 400W E-40

An indispensable means of decoration

- Very high light output
- Countless number of application possibilities
- Already existing a good number of years, the "black light effect" is still fascinating: white textiles and objects as well as fluorescent material brightly flash up in darkness!
- Only to be used with ballast resistor

Technical specifications:

|         |         |
|---------|---------|
| Weight: | 9.13 kg |
|---------|---------|

EUROLITE Black Gun UV Spot for E-40/400W

|                        |                                                                        |
|------------------------|------------------------------------------------------------------------|
| Power supply:          | 230 V AC, 50 Hz                                                        |
| Power consumption:     | 600 W                                                                  |
| Protection class:      | Protection class I                                                     |
| Suitable lamp:         | 400 W E40                                                              |
| Power connection:      | Fixed power supply cord with safety plug                               |
| Fuse:                  | 5 x 20 mm, T 4 A fuse replaceable                                      |
| Base:                  | E40                                                                    |
| Lamp type:             | Discharge lamp                                                         |
| Cooling:               | Passive convection cooling                                             |
| Control:               | Plug and play                                                          |
| Beam angle:            | 60°                                                                    |
| Beam angle (1/2 peak): | 60°                                                                    |
| Housing color:         | Black                                                                  |
| Material:              | Metal                                                                  |
| Dimensions:            | Width: 35.5 cm<br>Depth: 35.5 cm<br>Height: 30.5 cm                    |
| Weight:                | 8.55 kg                                                                |
| Noise classification:  | Class 1 (very slight noise, suitable for noise-sensitive environments) |

OMNILUX UV Lamp 400W E-40

|                        |                     |
|------------------------|---------------------|
| Voltage (lamps):       | 135 V               |
| Nominal wattage:       | 400 W               |
| Base:                  | E40                 |
| Lamp type:             | Discharge lamp      |
| Beam angle (1/2 peak): | 360°                |
| Color of light:        | UV-reflecting       |
| Construction:          | Bulb                |
| Burning position:      | S30 (vertikal ±30°) |
| Lamp life:             | 2500 h              |
| Wavelength:            | 365 nm              |
| Lamp current:          | 2 A                 |
| Dimensions (LxD):      | 290x115 mm          |
| Weight:                | 0.29 kg             |

Photobiological safety:

Risk Group 0

---

## **Scope of delivery:**

---

1 x spotlight

1 x user manual