


## ALUTRUSS Decolock DQ3 rectangle 3.8x3.8x3.4m

Art. No.: 09009943

GTIN:



**The article is no longer in our assortment.**

### Features:

### Logistic

#### ALUTRUSS DECOLOCK DQ4-PAL30 3-way Corner 90°

Universal 4-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; installation; stage

#### ALUTRUSS DECOLOCK DQ4-BPM Base Plate MALE

- Trusspipe: 35 mm
- Made in Europe

#### ALUTRUSS DECOLOCK DQ4-3000 4-way Cross Beam

Universal 4-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; installation; stage
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

|         |          |
|---------|----------|
| Weight: | 95.20 kg |
|---------|----------|

### ALUTRUSS DECOLOCK DQ4-PAL30 3-way Corner 90°

|                             |                                                 |
|-----------------------------|-------------------------------------------------|
| Corner angle:               | 90°                                             |
| Trusspipe:                  | 35 mm x 2 mm                                    |
| Alloy:                      | EN-AW 6060 T66 (AlMgSi0.5)                      |
| Color:                      | Alu colored; any RAL color available on request |
| Strut diameter x thickness: | 10 x 2mm                                        |
| Dimensions:                 | Length: 40 cm<br>Width: 40 cm<br>Height: 40 cm  |
| Weight:                     | 3.55 kg                                         |

### ALUTRUSS DECOLOCK DQ4-BPM Base Plate MALE

|            |             |
|------------|-------------|
| Trusspipe: | 35 mm       |
| Color:     | Alu colored |
| Weight:    | 0.92 kg     |

### ALUTRUSS DECOLOCK DQ4-3000 4-way Cross Beam

|                             |                                                 |
|-----------------------------|-------------------------------------------------|
| Trusspipe:                  | 35 mm x 2 mm                                    |
| Welding technique:          | TIG-welding                                     |
| Welding material:           | AlMg 5                                          |
| Alloy:                      | EN-AW 6060 T66 (AlMgSi0.5)                      |
| Color:                      | Alu colored; any RAL color available on request |
| Strut diameter x thickness: | 10 x 2mm                                        |
| Dimensions:                 | Length: 300 cm<br>Width: 22 cm<br>Height: 22 cm |
| Weight:                     | 9.67 kg                                         |

## Scope of delivery:

---

**4 x ALUTRUSS DECOLOCK DQ4-PAL30 3-way Corner 90°**

2 x connection set

**8 x ALUTRUSS DECOLOCK DQ4-3000 4-way Cross Beam**

1 x connection set