



Features:

Logistic

FUTURELIGHT PRO Slim PAR-36 CW/WW

PRO slimline LED spot with 1 W LEDs

- Equipped with 36 x 1 W LEDs: 18 x warm white, 18 x cold white
- Flat housing form requires minimal space when rigging
- Extremely compact housing in a beautiful design
- Second mounting bracket for safe standing installation
- Locking possibility at the brackets with large metal butterfly screws
- Pure convection cooling via cooling ribs, no fans, particularly quiet during operation
- Functions: CW/WW color mixture, 9 preset color temperatures, built-in programs, dimmer, strobe effect, Master/Slave operation
- 2, 3, 4, 7 DMX channels selectable for various applications
- Dimmer speed (step response) adjustable
- Comfortable addressing and setting via Control Board with LED display and four operating buttons with four-digit 14-segment display
- Operable in stand-alone mode or via DMX
- Master/Slave for parallel operation of several devices
- DMX512 control via regular DMX-controller
- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device
- After every 8 devices the fixtures must have a renewed connection with the power mains
- 36 LEDs

ROADINGER Flightcase 4x PRO Slim Size M

Trunk case, PRO version

- With accessory compartment
- With 4 device compartments
- High-quality workmanship with birch multiplex 7 mm, black, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Closes with a
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	22.00 kg
---------	----------

FUTURELIGHT PRO Slim PAR-36 CW/WW

Power supply:	230 V AC, 50 Hz
---------------	-----------------

Power consumption:	45 W
--------------------	------

LED type:	36
-----------	----

Fixtures available for:	Light J; Light Captain
-------------------------	------------------------

Color:	Black
--------	-------

Dimensions:	Width: 10 cm Depth: 25.5 cm Height: 29.5 cm
-------------	---

Weight:	3.20 kg
---------	---------

DMX channels:	2/3/4/7
---------------	---------

DMX connection:	3-pin XLR
-----------------	-----------

LED type:	1 W
-----------	-----

LED number:	36
-------------	----

Beam angle:	18°
-------------	-----

Dimensions (L x W x H):	100 x 255 x 295 mm
-------------------------	--------------------

ROADINGER Flightcase 4x PRO Slim Size M

Maximum load:	50 kg
---------------	-------

Aluminum profile frames:	30 mm
--------------------------	-------

Case handle:	2 pc/pcs
--------------	----------

Stop hinge:	2 pc/pcs
-------------	----------

Lock:	Butterfly lock: 2 pc/pcs
-------	--------------------------

Use of brands:	Branded hardware
----------------	------------------

Material:	Birch multiplex, 7 mm
-----------	-----------------------

Color:	Black, laminated; dark brown, laminated
Inside dimensions:	27 cm x 265 cm
Middle compartment:	14 cm x 27 cm x 25 cm
Compartment dimensions:	12 cm x 27 cm x 25 cm
Dimensions:	Width: 68.5 cm Depth: 30.5 cm Height: 36 cm
Weight:	9.20 kg

Scope of delivery: