



### Features:

### Logistic

#### EUROLITE AKKU UP-4 HCL Spot WDMX wh

LED Uplight with 4 x 12 W 6in1 LED & wireless DMX receiver (Wireless Solution)

- Compact and bright
- Equipped with 4 x 12 W HCL LED in red, green, blue, amber, white and UV
- With integrated wireless receiver for WDMX operation (Wireless Solution - made in Sweden)
- Operation via mains connection or built-in rechargeable lithium-ion battery with up to 8.5 hours operating time
- Integrated automatic charging of the battery with indicator
- Controllable via EUROLITE IR-7 remote control; included in the delivery
- With integrated folding foot for angled placement by floor installation
- DMX-controlled operation or stand-alone operation with Master/Slave function
- 6, 8 or 12 DMX channels selectable
- Functions: static colors, stepless RGBAW+UV color mixture, internal programs, dimmer, strobe effect with variable speed, sound-control
- Dimmer speed (step response) adjustable
- Adjustable microphone sensitivity
- Addressing via control panel with 4-digit LED display
- Switch-mode power supply for operation between 100 and 240 volts
- Ready for connection via included power cable with safety power plug
- Feed-through output allows to power up to 8 devices
- DMX control via any standard DMX controller

- Available in 2 housing colors: black and white
  - 4 LEDs 12 W high-power 6in1 RGBWA/UV (homogenous color mix)
  - Can be operated in 6; 8; 12 CH mode
  - The device is cooled by passive convection cooling
  - Control via DMX; stand-alone; W-DMX by wireless solution; sound to light via microphone
  - Flicker-free
  - With a beam angle of 22°
- device**
- Cordless, flexible and versatile
  - Battery operation up to 8.5h depending on program used

#### EUROLITE SB-4 Soft Bag M

Black soft bag for up to four devices (AKKU UP-4/TL-3 TCL)

- Practical transport bag offers enough space for several lighting effects and accessories
- Large interior, four times divisible and adaptable with foam dividers and pads
- Suitable e.g. for 4 x AKKU UP-4 Spot, 4 x TL-3 TCL Trusslight (41700500) or 3 x AKKU UP-4 Spot QuickDMX (41700540)
- Interior upholstery helps securing and safeguarding the fixtures during transportation
- External pocket stores accessories like cables, clamps, lamps and tape
- Made of easy-care nylon
- Carrying handles

#### Technical specifications:

|         |          |
|---------|----------|
| Weight: | 12.11 kg |
|---------|----------|

#### EUROLITE AKKU UP-4 HCL Spot WDMX wh

|                         |                                                                                                                          |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Power supply:           | 100-240 V AC, 50/60 Hz                                                                                                   |
| Power consumption:      | 37 W                                                                                                                     |
| Power connection:       | Battery/battery pack<br>Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
| Power output:           | 1 x IEC connector (F) mounting version                                                                                   |
| Lamp type:              | LED lamp                                                                                                                 |
| LED type:               | 4 x 12 W high-power 6in1 RGBWA/UV (homogenous color mix)                                                                 |
| DMX channels:           | 6; 8; 12                                                                                                                 |
| DMX input:              | 1 x 3-pin XLR (M) mounting version                                                                                       |
| DMX output:             | 1 x 3-pin XLR (F) mounting version                                                                                       |
| Cooling:                | Passive convection cooling                                                                                               |
| Control:                | DMX; stand-alone; W-DMX by wireless solution; sound to light via microphone                                              |
| Fixtures available for: | Light´J; LED PC-Control 512                                                                                              |
| Projection:             | Flicker-free                                                                                                             |
| Carrier frequency:      | 2.4 GHz                                                                                                                  |
| Beam angle:             | 22°                                                                                                                      |
| Beam angle (1/2 peak):  | 22°                                                                                                                      |
| Housing color:          | White                                                                                                                    |

|                    |                                                                                |
|--------------------|--------------------------------------------------------------------------------|
| Dimensions:        | Width: 13.8 cm<br>Depth: 14.5 cm<br>Height: 19.1 cm                            |
| Weight:            | 2.90 kg                                                                        |
| Battery pack type: | 1 x lithium ion 14.8 V, 6600 mAh, 97.68 Wh                                     |
| Battery pack:      | Battery operation up to 8.5h depending on program used<br>Recharging time 4.5h |
| Battery:           | 1 x button cell 3.0 V CR2025 lithium manganese built-in                        |

**EUROLITE SB-4 Soft Bag M**

|                         |                                               |
|-------------------------|-----------------------------------------------|
| Maximum load:           | 25 kg                                         |
| Material:               | Textile                                       |
| Color:                  | Black                                         |
| Compartment dimensions: | 14 cm x 14 cm x 19 cm                         |
| Inside dimensions:      | 29 cm x 29 cm x 19 cm                         |
| Dimensions:             | Width: 30 cm<br>Depth: 33 cm<br>Height: 20 cm |
| Weight:                 | 0.51 kg                                       |

|                           |
|---------------------------|
| <b>Scope of delivery:</b> |
| 1 x device                |
| 1 x remote control        |