




The article is no longer in our assortment.

Features:

Logistic

ALUTRUSS DECOLOCK DQ2-1000 2-way Cross Beam

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; clubs/dancing school; rental; theater; Trade fair and shop fitting; installation
- For further information about this product, please refer to the Data Sheet under "Downloads"

ALUTRUSS DECOLOCK DQ2-2000 2-way Cross Beam

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request

- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; clubs/dancing school; rental; theater; Trade fair and shop fitting; installation
- For further information about this product, please refer to the Data Sheet under "Downloads"

ALUTRUSS DECOLOCK DQ2-PAL31V 3-way Corner 90°

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Direction vertical
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; clubs/dancing school; rental; theater; Trade fair and shop fitting; installation

ALUTRUSS DECOLOCK DQ2-WPM Wall Mounting Plate MALE

Universal 2-point truss system in lightweight construction

- Aluminum alloy for a classic high-tech look
- Fast, efficient and reliable assembly via QUICK-LOCK conical connectors
- An extensive selection of lengths, circular and corner elements offers maximum flexibility
- Special designs according to customer specifications on request
- Trusspipe: 35 mm
- Any RAL color available on request
- Various versions available
- Made in Europe
- For application areas such as: Clubs/dancing school; sports centres/gyms; shop fitting; theater; Trade fair and shop fitting; installation; stage

ALUTRUSS DECOLOCK Single Pin

- Trusspipe: 35 mm
- Made in Europe
- For application areas such as: Shop fitting

ALUTRUSS DECOLOCK Safety Pin

- Trusspipe: 35 mm
- Made in Europe
- For application areas such as: Shop fitting

Technical specifications:

Weight: 36.28 kg

ALUTRUSS DECOLOCK DQ2-1000 2-way Cross Beam

Trusspipe: 35 mm x 2 mm

Welding technique:	TIG-welding
Welding material:	AlMg 5
Alloy:	EN-AW 6060 T66 (AlMgSi0.5)
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 100 cm Width: 22 cm Height: 3.50 cm
Weight:	1.35 kg

ALUTRUSS DECOLOCK DQ2-2000 2-way Cross Beam

Trusspipe:	35 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Alloy:	EN-AW 6060 T66 (AlMgSi0.5)
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 200 cm Width: 22 cm Height: 3.50 cm
Weight:	3 kg

ALUTRUSS DECOLOCK DQ2-PAL31V 3-way Corner 90°

Corner angle:	90°
Trusspipe:	35 mm x 2 mm
Alloy:	EN-AW 6060 T66 (AlMgSi0.5)
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	10 x 2mm
Dimensions:	Length: 40 cm Width: 40 cm Height: 40 cm
Weight:	1.95 kg

ALUTRUSS DECOLOCK DQ2-WPM Wall Mounting Plate MALE

Trusspipe:	35 mm; 35 mm x 2 mm
Color:	Alu colored; any RAL color available on request
Weight:	0.42 kg

ALUTRUSS DECOLOCK Single Pin

Trusspipe:	35 mm
Color:	Alu colored

Weight:	0.01 kg
---------	---------

ALUTRUSS DECOLOCK Safety Pin

Trusspipe:	35 mm
------------	-------

Color:	Alu colored
--------	-------------

Weight:	0.003 kg
---------	----------

Scope of delivery:

2 x ALUTRUSS DECOLOCK DQ2-1000 2-way Cross Beam

1 x connection set

8 x ALUTRUSS DECOLOCK DQ2-2000 2-way Cross Beam

1 x connection set

4 x ALUTRUSS DECOLOCK DQ2-PAL31V 3-way Corner 90°

2 x connection set