

EUROLITE Set Dynamic Fog 1200 + Smoke Fluid -B2D- 5l

DMX fog machine with 1200 W including 5l Smoke Fluid

Art. No.: 20000076

GTIN: 4026397580013



Features:

- Compact fog machine with high output volume
- Ideal for accentuating light and laser beams
- Concentrated and steady fog output
- Adjustable timer with interval and duration
- Continuous output
- Fan grille with blue LED illumination, switchable
- Short warm-up time
- Output distance: Approx. 4 m
- With level indication
- Operates on water-based fluid
- Removable tank
- Can be operated in 1 CH mode
- Control via DMX; wireless remote control; wired remote control
- With mounting bracket
- 4 digit 7-segment LED display
- For application areas such as: Clubs/dancing school; stage; theater; rental
- Application possibility: Standing; suspended
- <p>EUROLITE SMOKE FLUID -B2D- Basic, 5l smoke fluid
- **Fog effect with medium density and hang time**
- Odorless
- Glycerine- and DEG-free composition
- Non-toxic
- Not harmful to health
- Biodegradable according to OECD 301E/EEC 84/449 C3
- Non-flammable, no transport restrictions, no hazardous material
- Permanent quality control

Logistic

EAN / GTIN: 4026397580013

Weight: 13,40 kg

Length: 0.61 m

Width: 0.31 m

Height: 0.35 m

- Proven quality
- Water-based fluid ready for use
- Made in Germany
- For application areas such as: Wedding/gala/events; small rental; party room; clubs/dancing school

Technical specifications:

Weight:	12.20 kg
---------	----------

EUROLITE Dynamic Fog 1200 Fog Machine

Power supply:	230 V AC, 50 Hz
Power consumption:	1200 W
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Warm-up time:	Approx. 3 min
Output volume:	Approx. 340 m³/min
Output distance:	Approx. 4 m
Tank capacity:	2.3 l water-based fluid removable tank
Fluid consumption:	Approx. 40 ml/min
DMX channels:	1
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Control:	DMX; wireless remote control; wired remote control
Fixtures available for:	LED PC-Control 512; Light Captain
Carrier frequency:	433.92 MHz
Housing color:	Black
Attachment system:	Mounting bracket
Heater:	1210 W
Display type:	4 digit 7-segment LED display
Color:	Black
Dimensions:	Width: 31 cm Depth: 42.5 cm Height: 29 cm
Weight:	7.20 kg
Noise classification:	Class 3 (clearly perceptible sounds)
Cable length:	3 m
Battery:	1 x 12 V 23AE alkaline manganese built-in

EUROLITE SMOKE FLUID -B2D- Basic, 5l smoke fluid

Container size:	5 l
-----------------	-----

Type of fluid:	Water-based fluid ready for use
Weight:	5.00 kg

Scope of delivery:

- 1 x device
- 1 x user manual
- 1 x power cord
- 2 x remote control
- 1 x declaration of conformity
- 1 x container
- 1 x filter
- 1 x battery