


## ALUTRUSS Set QUADLOCK QL-ET34-2000 + Truss Transport Board

Art. No.: 20000088

GTIN: 4026397583229



### Features:

#### ALUTRUSS QUADLOCK QL-ET34-2000 4-way Cross Beam

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### ALUTRUSS Truss Transport Board Combo for 3 Wheels

Transport cart for QUADLOCK and TRILOCK truss elements

- Practical transport cart made of multiplex wood
- Suitable for QUADLOCK and TRILOCK truss elements with 290 mm
- Quick and secure stacking with optional stacking ridges
- Cut-outs for safety bands for safe transport of the truss elements
- Grip hole
- 12 borings for mounting castors (optional)

### Logistic

EAN / GTIN: 4026397583229

Weight: 119,00 kg

Length: 1.20 m

Width: 0.80 m

Height: 2.10 m

Bulky product

- The combination of 2 transport carts and 10 stacking ridges allows transport of 12 truss elements (recommended maximum load)
- Made in Germany

#### **ROADINGER Swivel Castor 100mm BLUE WHEEL light blue**

100 mm swivel castor

- Double ball race
- Housing made of steel, zinc-plated
- Roller race hub bearing
- Replaceable bolt-on wheel
- Carrying capacity: 450 kg per set (4 castors)
- Made in Germany
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### **ROADINGER Swivel Castor 100mm BLUE WHEEL with brake**

100 mm swivel castor

- Double-action brake (wheel and swivel)
- Double ball race
- Housing made of steel, zinc-plated
- Roller race hub bearing
- Replaceable bolt-on wheel
- Carrying capacity: 450 kg per set (4 castors)
- Made in Germany
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### **ROADINGER Bolt Set for Wheels**

Complete set (4 x screw, 4 x nut, 4 x washer)

- Screw: hexagon screw M8 x30 DIN933 galvanized
- Nut: hexagon screw KI.8 M8 DIN 934 galvanized
- Washer: size 8.4 DIN125 electrogalvanized

#### **ALUTRUSS Truss Transport Ridge Combo**

Stacking rail for QUADLOCK and TRILOCK truss elements

- Stacking ridge for quick and secure stacking of truss elements on matching transport carts
- Suitable for QUADLOCK and TRILOCK truss elements with 290 mm
- Made in Germany

#### **SHZ Clamping Belt S400 Ratchet 5m/25mm black**

Clamping belt

- LC400/800daN surroundings
- Complies with EN 12195-2
- Ratchet lock
- Closes with a

#### **Technical specifications:**

---

|         |           |
|---------|-----------|
| Weight: | 103.58 kg |
|---------|-----------|

---

#### **ALUTRUSS QUADLOCK QL-ET34-2000 4-way Cross Beam**

|        |                   |
|--------|-------------------|
| Setup: | Easy installation |
|--------|-------------------|

---

|            |              |
|------------|--------------|
| Trusspipe: | 50 mm x 2 mm |
|------------|--------------|

---

|                    |                                                 |
|--------------------|-------------------------------------------------|
| Welding technique: | TIG-welding                                     |
| Welding material:  | AlMg 5                                          |
| Alloy:             | AlMgSi1 T6                                      |
| Color:             | Alu colored                                     |
| Dimensions:        | Length: 200 cm<br>Width: 29 cm<br>Height: 29 cm |
| Weight:            | 11.2 kg                                         |

**ALUTRUSS Truss Transport Board Combo for 3 Wheels**

|               |                                                  |
|---------------|--------------------------------------------------|
| Maximum load: | 6 truss systems vertical (height approx. 2.10 m) |
| Dimensions:   | Length: 60 cm<br>Width: 30 cm<br>Height: 4.10 cm |
| Weight:       | 2.19 kg                                          |

**ROADINGER Swivel Castor 100mm BLUE WHEEL light blue**

|             |                                      |
|-------------|--------------------------------------|
| Color:      | Light blue                           |
| Dimensions: | Height: 12.8 cm<br>Diameter: Ø 10 cm |
| Weight:     | 0.66 kg                              |

**ROADINGER Swivel Castor 100mm BLUE WHEEL with brake**

|             |                                      |
|-------------|--------------------------------------|
| Color:      | Light blue                           |
| Dimensions: | Height: 12.8 cm<br>Diameter: Ø 10 cm |
| Weight:     | 0.93 kg                              |

**ROADINGER Bolt Set for Wheels**

|         |         |
|---------|---------|
| Weight: | 0.09 kg |
|---------|---------|

**ALUTRUSS Truss Transport Ridge Combo**

|             |                                             |
|-------------|---------------------------------------------|
| Material:   | Birch multiplex, 30 mm                      |
| Dimensions: | Length: 60 cm<br>Width: 3 cm<br>Depth: 5 cm |
| Weight:     | 0.50 kg                                     |

**SHZ Clamping Belt S400 Ratchet 5m/25mm black**

|           |             |
|-----------|-------------|
| Standard: | EN 12195-2, |
|-----------|-------------|

|             |                                  |
|-------------|----------------------------------|
| Lock:       | Ratchet lock                     |
| Color:      | Black                            |
| Dimensions: | Length: 500 cm<br>Width: 2.50 cm |
| Weight:     | 0.30 kg                          |

**Scope of delivery:**

1 x connection set