



**The article is no longer in our assortment.**

### Features:

### Logistic

#### EUROLITE PAR-38 Spot bk

PAR-38 housing with E27 socket (with plug + cable)

- Heat-resistant fixing screw
- Precise light output
- Strong cable tension relief
- Control via plug and play
- With mounting bracket
- For PAR 38
- For application areas such as: Clubs/dancing school; decoration; restaurants, bars and hotels; video and photography; advertisement/Shop window
- Silent operation

#### OMNILUX PAR-38 230V SMD 15W E-27 LED 2700K

PAR-38 lamp

- Easy installation
- Good color rendering index (CRI)

Technical specifications:

|         |         |
|---------|---------|
| Weight: | 1.06 kg |
|---------|---------|

EUROLITE PAR-38 Spot bk

|                          |                                                    |
|--------------------------|----------------------------------------------------|
| Power supply:            | 230 V AC, 50 Hz                                    |
| Power consumption:       | Max. 85 W                                          |
| Protection class:        | Protection class I                                 |
| Power connection:        | Fixed power supply cord with safety plug           |
| Cable construction:      | 3 x 1.0 mm² H05SS-F                                |
| Cable length:            | Approx. 0.9 m                                      |
| Base:                    | E27                                                |
| Lamp type:               | Selectable                                         |
| Color generation:        | Via color filter frame                             |
| Control:                 | Plug and play                                      |
| Construction:            | PAR-38                                             |
| Housing color:           | Black                                              |
| Attachment system:       | Mounting bracket                                   |
| Material:                | Aluminum; metal                                    |
| Slot for spot length:    | 17.2 cm x 17.2 cm                                  |
| Dimensions:              | Length: 21.5 cm<br>Width: 19 cm<br>Depth: 19 cm    |
| Weight:                  | 0.70 kg                                            |
| Noise classification:    | Class 0 (no noise at all)                          |
| Diameter mounting holes: | 2 x Ø12mm                                          |
| Material:                | Metal, 2 mm                                        |
| Diameter mounting holes: | 2 x Ø8mm                                           |
| Material:                | Metal, 1 mm                                        |
| Dimensions:              | Length: 17 cm<br>Width: 17 cm<br>Diameter: Ø 14 cm |
| Weight:                  | 0.12 kg                                            |

OMNILUX PAR-38 230V SMD 15W E-27 LED 2700K

|                    |                          |
|--------------------|--------------------------|
| Operating voltage: | 230                      |
| Nominal wattage:   | 15 W                     |
| Base:              | E27                      |
| Lamp type:         | LED lamp; reflector lamp |
| Beam angle:        | 60°                      |

|                                  |                   |
|----------------------------------|-------------------|
| Setup:                           | Easy installation |
| Color of light:                  | White             |
| Color temperature:               | 2700K             |
| Color rendering index (CRI):     | 81 Ra             |
| Lead time:                       | 0.2 s             |
| Construction:                    | PAR-38            |
| Burning position:                | S180 (universal)  |
| Lamp life:                       | 20000 h           |
| Luminous flux:                   | 1250 lm           |
| Wavelength:                      | 608 nm            |
| Lamp current:                    | 0.155 A           |
| Dimensions (LxD):                | 135x121 mm        |
| Weight:                          | 0.36 kg           |
| Energy efficiency class (A - G): | F                 |
| EPREL-Nr:                        | 1042577           |

### Scope of delivery:

#### 1 x EUROLITE PAR-38 Spot bk

1 x spotlight  
1 x filter frame  
1 x user manual

#### 1 x OMNILUX PAR-38 230V SMD 15W E-27 LED 2700K

1 x illuminant