# HAZEBASE Set Highpower*cased Fogger + M Fog Fluid 5l

**Art. No.: 20000139**

GTIN:










## The article is no longer in our assortment.

### Features:

**HAZEBASE Base*Highpower*cased Fogger**

PRO 2600 W fog machine in its own case with DMX connection

- DMX serial-production
- 2600 W / 230 V / 50 Hz
- Amptown flightcase serial-production
- Extremely powerful output
- Integrated timer
- Very precisely controllable due to digital technology
- Permanent fogging possible
- 5 liter container can be replaced without refilling
- Only use original Hazebase fluid for flawless operation
- Other fluids may damage the unit or cause malfunction
- Output distance: Approx. 15 m
- Big tank capacity
- Can be operated in 1 CH mode
- Control via wired remote control (optional); wireless remote control (optional); stand-alone; analog 0-10 V; DMX; timer
- Made in Germany
- For further information about this product, please refer to the Data Sheet under "Downloads"

### Logistic

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

**HAZEBASE Base*M Fog Fluid 5l**

Medium lasting smoke liquid

- Odorless
- Non-toxic
- Not harmful to health
- Biodegradable
- Non-flammable, no transport restrictions, no hazardous material
- Permanent quality control
- Water-based fluid ready for use
- Made in Germany
- For application areas such as: Small rental; clubs/dancing school

## Technical specifications:

| | |
|---|---|
| Weight: | 27.95 kg |

**HAZEBASE Base*Highpower*cased Fogger**

| | |
|---|---|
| Power supply: | 230 V AC, 50 Hz |
| Power consumption: | 2600 W |
| Power connection: | Fixed power supply cord with safety plug |
| Warm-up time: | Approx. 7 min |
| Output distance: | Approx. 15 m |
| Output duration: | 60s - continuous |
| Tank capacity: | 5 l |
| Fluid consumption: | Approx. 120 ml/min - 240 ml/min |
| DMX channels: | 1 |
| DMX input: | 1 x 5-pin XLR (M) mounting version |
| Control: | Wired remote control (optional); wireless remote control (optional); stand-alone; analog 0-10 V; DMX; timer |
| Operating principle: | Vaporizing fog machine |
| Heater: | 2600 W |
| Color: | Black |
| Dimensions: | Width: 30 cm<br>Depth: 53 cm<br>Height: 45 cm |
| Weight: | 22.65 kg |

**HAZEBASE Base*M Fog Fluid 5l**

| | |
|---|---|
| Container size: | 5 l |
| Type of fluid: | Water-based fluid ready for use |
| Weight: | 5.30 kg |

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

## Scope of delivery:

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.