

OMNITRONIC Set WMT-1M UHF Transmitter + 2x WMR-1M UHF Receiver

Art. No.: 20000171

Wireless mono audio transmission system, 823-832 MHz

GTIN:



Features:

- Wireless audio transmission system with UHF PLL technology
 - For wireless transmission of audio line and microphone signals with one transmitter and one or more receivers
 - Duplex gap 823-832 MHz
 - Parallel use of up to 4 transmitters possible
 - Compatible with MOM-10BT4 system
 - 16 channels selectable
 - Audio line input (3.5 mm jack) and microphone input (mini XLR)
 - Volume level control
 - Operation via 2 batteries or rechargeable batteries size AA
 - Built-in charging function via micro USB port with LED indicator
 - Supports operation and simultaneous charging
 - Robust metal fixing clip
 - Incl. USB charging cable and 3.5 mm audio cable
 - License-free and approved in large parts of the EU
 - Operating range up to 50m
 - UHF 823 - 832 MHz License-free and approved in large parts of Europe
 - <p>OMNITRONIC WMR-1M UHF-Receiver, mono
- Wireless mono audio transmission system, 823-832 MHz**
- Wireless audio transmission system with UHF PLL technology
 - For wireless transmission of audio line and microphone signals with one transmitter and one or more receivers
 - Duplex gap 823-832 MHz
 - Compatible with MOM-10BT4 system
 - Parallel use of up to 4 transmitters possible
 - 16 channels selectable

Logistic

- Audio line output and earphone connection via 3.5 mm jack
- Volume control
- Built-in charging function via micro USB port with LED indicator
- Supports operation and simultaneous charging
- Robust metal fixing clip
- Incl. USB charging cable and 3.5 mm audio cable
- License-free and approved in large parts of the EU (please check on a country-by-country basis)
- Operating range up to 50m
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

Technical specifications:

Weight:	0.62 kg
---------	---------

OMNITRONIC WMT-1M UHF Transmitter, mono

Power supply:	5V DC 3V DC
Power connection:	Mains input via micro USB (F) mounting version included Battery/battery pack
Battery:	2 x Mignon (AA) included
S/N ratio:	>90 dB
Range:	Range up to 50m
Frequency band:	UHF 823 - 832 MHz
Frequency stability:	± 0.01 %
RF power output:	10 mW
Modulation:	FM
Frequency selection:	16 switchable frequencies
Pilot frequency:	32.768 kHz
Control elements:	Power switch, level control, frequency selector switch
Status LED:	Power
Connections:	Input: microphone via 1 x mini XLR (M) 3-pin mounting version 1 V Input: AUX via 1 x 3.5 mm jack (stereo) 3.5 V
Switch:	On/off switch
Material:	Plastic
Color:	Black
Dimensions:	Width: 6.7 cm Depth: 3.0 cm Height: 11.2 cm
Weight:	0.20 kg

OMNITRONIC WMR-1M UHF-Receiver, mono

Power supply:	5V DC
---------------	-------

	3V DC
Power connection:	Mains input via micro USB (F) mounting version included Battery/battery pack
Battery:	2 x Mignon (AA) included
S/N ratio:	>80 dB
Range:	Range up to 50m
Frequency band:	UHF 823 - 832 MHz
Frequency stability:	± 0.01 %
Modulation:	FM
Frequency selection:	16 switchable frequencies
Pilot frequency:	32.768 kHz
Connector type:	3.5 mm jack (mono) mounting version
Control elements:	Level control, power switch, frequency selector switch
Status LED:	Signal, power
Connections:	Output: line via 1 x 3.5 mm jack (mono) mounting version 1 V Output: headphones via 1 x 3.5 mm jack (stereo) mounting version
Switch:	On/off switch
Material:	Plastic
Color:	Black
Dimensions:	Width: 6.7 cm Depth: 3.0 cm Height: 11.2 cm
Weight:	0.21 kg

Scope of delivery:

1 x OMNITRONIC WMT-1M UHF Transmitter, mono

1 x receiver
 1 x jack cable
 1 x USB cable
 2 x battery
 1 x user manual
 1 x declaration of conformity

2 x OMNITRONIC WMR-1M UHF-Receiver, mono

1 x receiver
 1 x jack cable
 1 x USB cable
 2 x battery
 1 x user manual
 1 x declaration of conformity