




The article is no longer in our assortment.

Features:

Logistic

EAN / GTIN: 4026397592696

ALUTRUSS TRILOCK Base Plate QTG-male

- Trusspipe: 50 mm
- Made in Europe

ALUTRUSS TRILOCK 6082AC-20-3 3-way Corner 60°

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

ALUTRUSS TRILOCK 6082AC-20-4 4-way Corner 60°

3-point truss system

- Low weight
- Easy installation
- Trusspipe: 50 mm

- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school

Technical specifications:

Weight:	63.40 kg
---------	----------

ALUTRUSS TRILOCK Base Plate QTG-male

Trusspipe:	50 mm
Color:	Alu colored
Weight:	0.94 kg

ALUTRUSS TRILOCK 6082AC-20-3 3-way Corner 60°

Setup:	Easy installation
Corner angle:	60°
Trusspipe:	50 mm x 2 mm
Alloy:	EN-AW 6082 T6 (AlSi1Mg)
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 100 cm Width: 100 cm Height: 50 cm
Weight:	9 kg

ALUTRUSS TRILOCK 6082AC-20-4 4-way Corner 60°

Setup:	Easy installation
Corner angle:	60°
Trusspipe:	50 mm x 2 mm
Alloy:	EN-AW 6082 T6 (AlSi1Mg)
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 100 cm Width: 100 cm Height: 74.30 cm
Weight:	11.20 kg

Scope of delivery:

3 x ALUTRUSS TRILOCK 6082AC-20-3 3-way Corner 60°

2 x connection set

3 x ALUTRUSS TRILOCK 6082AC-20-4 4-way Corner 60°

3 x connection set

