



Features:

Logistic**OMNITRONIC WMT-1M UHF Transmitter, mono**

Wireless mono audio transmission system, 823-832 MHz

- Wireless audio transmission system with UHF PLL technology
- For wireless transmission of audio line and microphone signals with one transmitter and one or more receivers
- Duplex gap 823-832 MHz
- Parallel use of up to 4 transmitters possible
- Compatible with MOM-10BT4 system
- 16 channels selectable
- Audio line input (3.5 mm jack) and microphone input (mini XLR)
- Volume level control
- Operation via 2 batteries or rechargeable batteries size AA
- Built-in charging function via micro USB port with LED indicator
- Supports operation and simultaneous charging
- Robust metal fixing clip
- Incl. USB charging cable and 3.5 mm audio cable
- License-free and approved in large parts of the EU
- Operating range up to 50m
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

OMNITRONIC UHF-502 Headset for Bodypack

Headset for UHF-502 bodypack transmitter

- Lightweight design for optimum wearer comfort
- Gooseneck
- One-sided cable run
- Connection cable with 3-pin mini XLR plug
- Foam windscreen
- Color: black
- Polar pattern: Cardioid

Technical specifications:

Weight:	0.23 kg
---------	---------

OMNITRONIC WMT-1M UHF Transmitter, mono

Power supply:	5V DC 3V DC
---------------	----------------

Power connection:	Mains input via micro USB (F) mounting version included Battery/battery pack
-------------------	---

Battery:	2 x Mignon (AA) included
----------	--------------------------

S/N ratio:	>90 dB
------------	--------

Range:	Range up to 50m
--------	-----------------

Frequency band:	UHF 823 - 832 MHz
-----------------	-------------------

Frequency stability:	± 0.01 %
----------------------	----------

RF power output:	10 mW
------------------	-------

Modulation:	FM
-------------	----

Frequency selection:	16 switchable frequencies
----------------------	---------------------------

Pilot frequency:	32.768 kHz
------------------	------------

Control elements:	Power switch, level control, frequency selector switch
-------------------	--

Status LED:	Power
-------------	-------

Connections:	Input: microphone via 1 x mini XLR (M) 3-pin mounting version 1 V Input: AUX via 1 x 3.5 mm jack (stereo) 3.5 V
--------------	--

Switch:	On/off switch
---------	---------------

Material:	Plastic
-----------	---------

Color:	Black
--------	-------

Dimensions:	Width: 6.7 cm Depth: 3.0 cm Height: 11.2 cm
-------------	---

Weight:	0.20 kg
---------	---------

OMNITRONIC UHF-502 Headset for Bodypack

Type:	Headset microphone
Capsule type:	Condenser
Polar pattern:	Cardioid
Frequency range:	50 - 15000 Hz
Frequency selection:	Switchable frequencies
Weight:	0.03 kg
Type:	Electret
Directivity pattern:	Cardioid
Sensitivity:	-49 dB
Impedance:	680 ohms
S/N ratio:	>63 dB
Power supply:	2-10 V DC
Connection:	cable with 3-pin mini XLR plug
Cable length:	approx. 1 m
Capsule:	D = 9.7 mm

Scope of delivery:

1 x receiver
 1 x jack cable
 1 x USB cable
 2 x battery
 1 x user manual
 1 x declaration of conformity