



The article is no longer in our assortment.

Features:

Logistic

EUROLITE LAS-15 Shorty Dot RG

Small party show laser, laser class 2M

- Small show laser sets up great at the next party
- 2 laser diodes project thousands of red and green twinkling stars
- Laser class 2M: does not require additional protective measures or appointment of a laser safety officer
- Music mode or auto mode with adjustable speed
- Strobe effect
- Convenient control via IR remote control
- Sound-control via built-in microphone with sensitivity control
- Incl. 2 mounting brackets
- Operation via included power adapter
- Laser class 2M
 does not require additional protective measures or appointment of a laser safety officer
- The device is cooled by cooling fan
- Control via stand-alone; IR remote control; sound to light via microphone

EUROLITE LED Party UV Bar-9

Simple UV lighting bar with 9 x 1 W ultra violet (UV) LED

- Perfect for decorative and illumination purposes

- Slender housing
- 9 LEDs 1 W high-power ultra violet (UV)
- UV effect
- The device is cooled by passive convection cooling
- Control via on/off switch at cable
- With a beam angle of 30°
- With mounting bracket
- Various versions available
- For application areas such as: Clubs/dancing school; decoration; party room; restaurants, bars and hotels; advertisement/Shop window
- Silent operation
- Application possibility: Suspended; standing

EUROLITE LED Party Spot

Compact spotlight with 12 x 1 W R/G/B/W LED and DMX control

- 12 LEDs 1 W SMD 8072 R/G/B/W
- Color blend stepless; color change programs; pulse effect adjustable; Dimmer electronic
- Strobe effect
- 7 integrated show programs
- Direct color selection for 18 preset colors
- Can be operated in 6 CH mode
- The device is cooled by cooling fan
- Control via stand-alone; sound to light via microphone; master/slave function
- Flicker-free
- With mounting bracket
- 4 digit 7-segment LED display
- For application areas such as: Decoration; mobile djs / entertainer; party room
- Application possibility: Suspended; on stand

EUROLITE LED Party strobe 36

Ultra compact party strobe with high-power LEDs

- Stroboscope with 36 white SMD 5050 LEDs
- Perfect for decorations or party rooms
- Smallest dimensions, low weight
- Auto and sound mode selectable
- Built-in microphone with sensitivity control
- Variable flash rate: 1-8 flashes/second
- Low price, portable and user-friendly
- 36 LEDs SMD 5050 cold white (CW)
- Strobe effect
- Control via stand-alone

EUROLITE NH-10 Fazer

Compact fazer with 400 W, remote control & adjustable output volume

- Output volume adjustable
- Rugged metal housing
- Short warm-up time
- Output distance: Approx. 2 m
- With level indication
- Operates on water-based fluid
- Control via wired remote control
- For application areas such as: Clubs/dancing school; party room; mobile djs / entertainer; small rental
- Application possibility: Standing

EUROLITE Smoke Fluid -A2D- Action Smoke Fluid 1l

Fog effect with low density and hang time

- Odorless
- Glycerine- and DEG-free composition
- Non-toxic

- Not harmful to health
- Biodegradable according to OECD 301E/EEC 84/449 C3
- Non-flammable, no transport restrictions, no hazardous material
- Permanent quality control
- Proven quality
- Water-based fluid ready for use
- Made in Europe
- For application areas such as: Wedding/gala/events; small rental; party room; clubs/dancing school

Technical specifications:

Weight:	6.53 kg
---------	---------

EUROLITE LAS-15 Shorty Dot RG

Power supply:	100-240 V AC, 50/60 Hz 12V DC 1000 mA
Power consumption:	10 W
Power connection:	Mains input via coaxial power connector (M) mounting version power supply cord with AC adapter (provided)
Lamp type:	LED lamp
Laser class:	2M
Laser color:	R/G
Laser module:	Green (G) 15 mW Red (R) 10 mW
Cooling:	Cooling fan
Control:	Stand-alone; IR remote control; sound to light via microphone
Housing color:	Black
Dimensions:	Width: 121.5 cm Depth: 13 cm Height: 12 cm
Weight:	0.61 kg
Battery:	1 x button cell 3.0 V CR2025 lithium manganese built-in

EUROLITE LED Party UV Bar-9

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	20 W
Protection class:	Protection class I
Power connection:	Fixed power supply cord with safety plug
Lamp type:	LED lamp
LED type:	9 x 1 W high-power ultra violet (UV)
Cooling:	Passive convection cooling
Control:	On/off switch at cable

Beam angle:	30°
Beam angle (1/2 peak):	30°
Wavelength:	398 nm
Housing color:	Black matte
Attachment system:	2x mounting bracket
Material:	Metal
Dimensions:	Length: 50 cm Depth: 6.5 cm Height: 6.5 cm
Weight:	0.66 kg
Noise classification:	Class 0 (no noise at all)
Photobiological safety:	Risk Group 0 at 1 m
Diameter mounting holes:	1 x Ø10mm; 1 x Ø6mm
Material:	Aluminum, 2 mm

EUROLITE LED PARTY Spot

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	15 W
Protection class:	Protection class II
Power connection:	Fixed power supply cord with Euro plug
Cable construction:	2 x 0.75 mm² H03VVH2-F
Cable length:	Approx. 0.9 m
Lamp type:	LED lamp
LED type:	12 x 1 W SMD 8072 R/G/B/W
DMX channels:	6
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	1 x cooling fan
Control:	Stand-alone; sound to light via microphone; master/slave function
Fixtures available for:	Light´J; LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; Light Captain; Colorchief
Projection:	Flicker-free
Beam angle (1/2 peak):	10°
Housing color:	Black
Attachment system:	Mounting bracket
Display type:	4 digit 7-segment LED display
Dimensions:	Width: 15 cm Depth: 9 cm Height: 16 cm
Weight:	0.43 kg
Noise classification:	Class 2 (slight noise)
Diameter mounting holes:	1 x Ø12mm; 2 x Ø8mm
Material:	Metal, 1 mm, painted

EUROLITE LED Party strobe 36

Power supply:	230 V AC, 50 Hz
Power consumption:	12 W
Power connection:	Fixed power supply cord with Euro plug
Cable length:	1 m
Lamp type:	LED lamp
LED type:	36 x SMD 5050 cold white (CW)
Flash rate:	1 - 8 Hz
Control:	Stand-alone
Beam angle (1/2 peak):	80°
Color temperature:	6500K
Dimensions:	Width: 10 cm Depth: 11 cm Height: 10 cm
Weight:	0.20 kg

EUROLITE NH-10 Fazer

Power supply:	230 V AC, 50 Hz
Power consumption:	400 W
Power connection:	Fixed power supply cord with safety plug
Warm-up time:	Approx. 2.5 min
Output distance:	Approx. 2 m
Tank capacity:	1 l water-based fluid fixed tank
Fluid consumption:	Approx. 10 ml/min
Control:	Wired remote control
Housing color:	Silver
Dimensions:	Width: 17.5 cm Depth: 34 cm Height: 19 cm
Weight:	3.20 kg
Noise classification:	Class 2 (slight noise)

EUROLITE Smoke Fluid -A2D- Action Smoke Fluid 1l

Container size:	1 l
Type of fluid:	Water-based fluid ready for use
Weight:	1.00 kg

Scope of delivery:

1 x EUROLITE LAS-15 Shorty Dot RG

1 x remote control

1 x EUROLITE LED Party UV Bar-9

1 x spotlight
2 x mounting bracket
1 x user manual

2 x EUROLITE LED PARTY Spot

1 x light effect
1 x mounting bracket
2 x screw
2 x washer
1 x user manual

1 x EUROLITE NH-10 Fazer

1 x device
1 x user manual
1 x container
1 x filter