

## EUROLITE Set PAR-30 Spot bk + PAR-30 230V SMD 11W E-27 LED 6500K Art. No.: 20000286

PAR-30 housing with E-27 socket including PAR-30 lamp with LED technology

GTIN: 4026397403039



### Features:

- 4 clip-to-hold clamps with spring locks for comfortable opening of the color filter frame
  - Strong clamps with extension springs for safe hold and for quick opening of the rear housing cover
  - Blackened tube for precise light output
  - Suitable for different spot angles
  - Small lighting-systems can also be realized with a small budget
  - Control via plug and play
  - With mounting bracket
  - For PAR 30
  - For application areas such as: Clubs/dancing school; decoration; Trade fair and shop fitting; party room; restaurants, bars and hotels; advertisement/Shop window
  - Silent operation
  - <p>OMNILUX PAR-30 230V SMD 11W E-27 LED 6500K
- PAR-30 LED lamp**
- Easy lamp replacement
  - Energy-saving
  - Hot restrike
  - Easy installation
  - Good color rendering index (CRI)

### Logistic

EAN / GTIN: 4026397403039  
Weight: 0,80 kg  
Length: 0.30 m  
Width: 0.22 m  
Height: 0.21 m

### Technical specifications:

|                                  |         |
|----------------------------------|---------|
| Weight:                          | 0.72 kg |
| Energy efficiency class (A - G): | F       |

#### EUROLITE PAR-30 Spot black

|                          |                                                         |
|--------------------------|---------------------------------------------------------|
| Power supply:            | 230 V AC, 50 Hz                                         |
| Power consumption:       | Max. 100 W                                              |
| Protection class:        | Protection class I                                      |
| Suitable lamp:           | Max. 230 V/100 W E27                                    |
| Power connection:        | Fixed power supply cord with safety plug                |
| Cable construction:      | 3 x 0.75 mm² H05SS-F                                    |
| Cable length:            | Approx. 0.4 m                                           |
| Base:                    | E27                                                     |
| Lamp type:               | Selectable                                              |
| Color generation:        | Via color filter frame                                  |
| Control:                 | Plug and play                                           |
| Construction:            | PAR-30                                                  |
| Housing color:           | Black matte                                             |
| Attachment system:       | Mounting bracket                                        |
| Material:                | Aluminum                                                |
| Slot for spot length:    | 12.8 cm x 12.8 cm                                       |
| Dimensions:              | Length: 23.5 cm<br>Width: 14.5 cm<br>Height: 21 cm      |
| Weight:                  | 0.53 kg                                                 |
| Noise classification:    | Class 0 (no noise at all)                               |
| Diameter mounting holes: | 2 x Ø10mm                                               |
| Material:                | Aluminum, 3 mm                                          |
| Shape:                   | Octagonal                                               |
| Material:                | Aluminum, 0.5 mm                                        |
| Dimensions:              | Length: 12.6 cm<br>Width: 12.6 cm<br>Diameter: Ø 9.4 cm |
| Weight:                  | 0.022 kg                                                |

#### OMNILUX PAR-30 230V SMD 11W E-27 LED 6500K

|                     |                   |
|---------------------|-------------------|
| Voltage (lamps):    | 230 V, AC         |
| Nominal wattage:    | 11 W              |
| Base:               | E27               |
| Lamp type:          | LED lamp          |
| Lamp specification: | Hot restrike      |
| Beam angle:         | 50°               |
| Setup:              | Easy installation |
| Color of light:     | White             |

|                                  |                  |
|----------------------------------|------------------|
| Color temperature:               | 6500K            |
| Color rendering index (CRI):     | 83 Ra            |
| Lead time:                       | 0.2 s            |
| Construction:                    | PAR-30           |
| Burning position:                | S180 (universal) |
| Lamp life:                       | 20000 h          |
| Luminous flux:                   | 850 lm           |
| Wavelength:                      | 600 nm           |
| Lamp current:                    | 0.087 A          |
| Dimensions (LxD):                | 92x95 mm         |
| Weight:                          | 0.19 kg          |
| Energy efficiency class (A - G): | F                |
| EPREL-Nr:                        | 1016879          |

### Scope of delivery:

#### **1 x EUROLITE PAR-30 Spot black**

1 x spotlight  
1 x filter frame  
1 x user manual

#### **1 x OMNILUX PAR-30 230V SMD 11W E-27 LED 6500K**

1 x illuminant