

OMNITRONIC Set DD-2520 USB Turntable bk + Case black -S-

Art. No.: 20000304

GTIN:



The article is no longer in our assortment.

Features:

Logistic

OMNITRONIC DD-2520 USB Turntable bk

Direct-drive DJ turntable with switchable phono/line output

- Built-in USB port and additional phono preamplifier, for a high-quality and convenient digitization of analog vinyl records
- Driver installation not required, unit is identified automatically
- Sampling rates of 44.1 kHz and 48 kHz in stereo, resolution: 16 bits
- Incl. software for recording and editing
- Precision direct drive
- Delivery includes pick-up system
- 2 speeds, pitch control $\pm 10\%$
- Large start/stop button
- Strobe lamp for exact speed adjustment
- Target lamp
- Delivery includes removable dustcover
- Adjustable anti-skating
- Shock-absorbing feet
- Switchable output phono/line
- USB 1.1 support
- Suitable for Windows XP, Vista, 7 and Mac OS X
- Pitch range: $\pm 10\%$
- The device can be connected via USB to the PC

ROADINGER Turntable Case black -S-

Carrying case

- Suitable for all turntables without dust cover (up to 450 mm width)
- High-quality workmanship with plywood multi-layer glued 4 mm, black, laminated
- Interior with foam padding
cover with foam padding
- Removable cover
- Aluminum profile frames 25mm with rounded edges
- Rugged carrying handle
- 2 high-quality spring locks
- Closes with a
- Rubber feet
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	15.45 kg
---------	----------

OMNITRONIC DD-2520 USB Turntable bk

Power supply:	100-240 V AC, 50/60 Hz
---------------	------------------------

Power consumption:	12.00 W
--------------------	---------

Power connection:	Fixed power supply cord with Euro plug
-------------------	--

Frequency range:	20 - 20000 Hz
------------------	---------------

Drive type:	Direct drive Brushless DC motor
-------------	------------------------------------

Drive:	Initial torque: 1 kg/cm Start time: 1 sec. Stop time: 1 sec. Speed change time: <1s 1kHz 5cm/sec
--------	---

Wow and flutter:	<0.15 % WRMS
------------------	--------------

Rumble:	55 dB DIN B
---------	-------------

Speed:	33 RPM; 45 RPM
--------	----------------

Tone arm:	S-shape with Cardan"s suspension Length: 230 Overhang: 16 mm Stylus pressure: 0-4 g, adjustable
-----------	--

Output level:	Phono 1.5-3.6 mV/ 1 kHz 5 cm/sec Line 90-216 mV/ 1 kHz 5 cm/sec
---------------	--

Connections:	Output: line/phono via stereo RCA Output: USB B (F) mounting version
--------------	---

Pitch range:	±10%
--------------	------

USB port:	1 x USB 1.1, type B
-----------	---------------------

Color:	Black
--------	-------

PC connect:	Via USB
-------------	---------

Dimensions:	Width: 45 cm Depth: 35 cm Height: 15.5 cm
-------------	---

Weight:	11.25 kg
Dimensions:	Diameter: Ø 33 cm

ROADINGER Turntable Case black -S-

Maximum load:	15 kg
Removable covers:	1 pc/pcs
Aluminum profile frames:	25 mm
Carrying handle:	1 pc/pcs
Lock:	Spring lock: 2 pc/pcs
Transport aid:	Rubber feet
Material:	Plywood multi-layer glued, 4 mm
Color:	Black, laminated
Device compartment:	45 cm x 35.5 cm x 12 cm
Dimensions:	Width: 51.5 cm Depth: 46 cm Height: 21.5 cm
Weight:	4.20 kg

Scope of delivery:

1 x system
1 x turntable platter