

## EUROLITE Set 4x LED PAR-56 QCL Short sw + PRO Case

4x PAR-56 Spot with 9 x 8 W 4in1 LED and RGBW color mixing including PRO flightcase

Art. No.: 20000322

GTIN:



### Features:

- 9 LEDs 8 W high-power 4in1 RGBW (homogenous color mix)
- Color change adjustable; Dimmer electronic; color blend stepless
- Strobe effect
- Can be operated in 4; 6; 8 CH mode
- Control via stand-alone; DMX; IR remote control; sound to light via microphone
- Flicker-free
- With a beam angle of 8°
- With mounting bracket
- 4 digit 7-segment LED display
- Available in various colors
- For application areas such as: Stage; clubs/dancing school; wedding/gala/events; mobile djs / entertainer; party room; restaurants, bars and hotels
- Application possibility: Suspended; on stand
- <p>ROADINGER Flightcase 4x PAR-56 Spot short

#### Trunk case

- Detachable compartments - case can also be used as universal transport case
- With 4 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- Hinged, chromium plated case handle
- 2 chrome tip-over locks
- 1 high-quality butterfly lock
- Closes with a
- Branded hardware
- Made in Europe

### Logistic

- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

|         |          |
|---------|----------|
| Weight: | 14.20 kg |
|---------|----------|

### EUROLITE LED PAR-56 QCL Short bk

|                         |                                                                                                                                                                        |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Power supply:           | 100-240 V AC, 50/60 Hz                                                                                                                                                 |
| Power consumption:      | 50 W                                                                                                                                                                   |
| Power connection:       | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)                                                                       |
| Lamp type:              | LED lamp                                                                                                                                                               |
| LED type:               | 9 x 8 W high-power 4in1 RGBW (homogenous color mix)                                                                                                                    |
| DMX channels:           | 4; 6; 8                                                                                                                                                                |
| DMX input:              | 3-pin XLR (M) mounting version                                                                                                                                         |
| DMX output:             | 3-pin XLR (F) mounting version                                                                                                                                         |
| Control:                | Stand-alone; DMX; IR remote control; sound to light via microphone                                                                                                     |
| Fixtures available for: | Light´ J; LED PC-Control 512; EASY SHOW 1; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief |
| Projection:             | Flicker-free                                                                                                                                                           |
| Beam angle:             | 8°                                                                                                                                                                     |
| Beam angle (1/2 peak):  | 8°                                                                                                                                                                     |
| Beam angle (1/10 peak): | 25°                                                                                                                                                                    |
| Housing color:          | Black                                                                                                                                                                  |
| Attachment system:      | Mounting bracket                                                                                                                                                       |
| Display type:           | 4 digit 7-segment LED display                                                                                                                                          |
| Dimensions:             | Width: 20.5 cm<br>Depth: 17.5 cm<br>Height: 23 cm                                                                                                                      |
| Weight:                 | 1.65 kg                                                                                                                                                                |
| Photobiological safety: | Risk Group 0                                                                                                                                                           |
| Battery:                | 1 x button cell 3.0 V CR2025 lithium manganese built-in                                                                                                                |

### ROADINGER Flightcase 4x PAR-56 Spot short

|                          |          |
|--------------------------|----------|
| Maximum load:            | 25 kg    |
| Aluminum profile frames: | 30 mm    |
| Case handle:             | 1 pc/pcs |

|                         |                           |
|-------------------------|---------------------------|
| Stop hinge:             | 2 pc/pcs                  |
| Lock:                   | Butterfly lock: 1 pc/pcs  |
| Use of brands:          | Branded hardware          |
| Material:               | Birch multiplex, 7 mm     |
| Color:                  | Dark brown, laminated     |
| Compartment dimensions: | 21.5 cm x 21.5 cm x 23 cm |
| Inside dimensions:      | 43 cm x 43 cm x 23 cm     |
| Dimensions:             | Width: 48.5 cm            |
|                         | Depth: 48.5 cm            |
|                         | Height: 31 cm             |
| Weight:                 | 7.60 kg                   |

**Scope of delivery:**

- 1 x spotlight
- 1 x user manual
- 1 x power cord
- 1 x remote control
- 1 x battery