

## EUROLITE Set 2x LED THA-100F Theater-Spot + Case

2x Fresnel spot, 100 W warm white LED, extremely quiet, DMX including PRO flightcase

Art. No.: 20000360

GTIN:



**The article is no longer in our assortment.**

### Features:

- Light impression of a conventional 750 W lamp
- 1 LED 100 W COB (chip-on-board) warm white (WW)
- Zoom manual
- Dimmer electronic; dimmer curves adjustable; Dimmer speed (step response) adjustable
- Strobe effect
- Can be operated in 1; 3 CH mode
- The device is cooled by temperature-controlled fan
- Control via DMX
- Flicker-free
- With a beam angle of 10° - 60°
- With mounting bracket
- LCD display
- Mains input and output for power linking up to 8 units
- <p>ROADINGER Flightcase 2x LED THA-100F/THA-120PC

#### Trunk case, PRO version

- With accessory compartment
- With 2 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 25mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Closes with a
- Branded hardware
- Made in Europe

### Logistic

- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

|         |          |
|---------|----------|
| Weight: | 26.20 kg |
|---------|----------|

### EUROLITE LED THA-100F Theatre-Spot

|                         |                                                                                                 |
|-------------------------|-------------------------------------------------------------------------------------------------|
| Power supply:           | 100-240 V AC, 50/60 Hz                                                                          |
| Power consumption:      | 120 W                                                                                           |
| Power connection:       | Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided) |
| Power output:           | 1 x PowerCON (grey)                                                                             |
| Lamp type:              | LED lamp                                                                                        |
| LED type:               | 1 x 100 W COB (chip-on-board) warm white (WW)                                                   |
| Equipment:              | Zoom manual                                                                                     |
| DMX channels:           | 1; 3                                                                                            |
| Cooling:                | Temperature-controlled fan                                                                      |
| Control:                | DMX                                                                                             |
| Fixtures available for: | LED PC-Control 512; Light´J; Light Captain                                                      |
| Projection:             | Flicker-free                                                                                    |
| Beam angle:             | 10° - 60°                                                                                       |
| Beam angle (1/2 peak):  | 10 - 50°                                                                                        |
| Beam angle (1/10 peak): | 12 - 60°                                                                                        |
| Color temperature:      | 3200K                                                                                           |
| Housing color:          | Black                                                                                           |
| Attachment system:      | Mounting bracket                                                                                |
| Display type:           | LCD display                                                                                     |
| Dimensions:             | Length: 37 cm<br>Width: 33.5 cm<br>Height: 26.5 cm                                              |
| Weight:                 | 6.30 kg                                                                                         |
| Noise classification:   | Class 2 (slight noise)                                                                          |

### ROADINGER Flightcase 2x LED THA-100F/THA-120PC

|                          |                          |
|--------------------------|--------------------------|
| Aluminum profile frames: | 25 mm                    |
| Case handle:             | 2 pc/pcs                 |
| Stop hinge:              | 2 pc/pcs                 |
| Lock:                    | Butterfly lock: 2 pc/pcs |
| Use of brands:           | Branded hardware         |
| Material:                | Birch multiplex, 7 mm    |

|                         |                         |
|-------------------------|-------------------------|
| Color:                  | Dark brown, laminated   |
| Accessory compartment:  | 10 cm x 33 cm x 42 cm   |
| Compartment dimensions: | 28.5 cm x 33 cm x 42 cm |
| Inside dimensions:      | 72 cm x 33 cm x 42 cm   |
| Dimensions:             | Width: 76 cm            |
|                         | Depth: 37 cm            |
|                         | Height: 53 cm           |
| Weight:                 | 13.60 kg                |

**Scope of delivery:**

- 1 x spotlight
- 1 x user manual
- 1 x power cord
- 1 x filter frame