

OMNITRONIC Set MOM-10BT4 Modular Wireless PA System + 2x Battery

Art. No.: 20000385

Obile PA system with battery operation and different equipment options including 2x battery

GTIN: 4026397615609



List price: 593.81 €

incl. 19% VAT.

Features:

- Wireless PA system with modular structure for maximum flexibility
- Wireless audio link operation of several MOM-10BT4 systems for larger events
- Flexible use: mono operation with several systems or stereo operation with 2 systems linked together
- High-power 2-way speaker system with 25 cm (10") woofer
- 3 extension slots for retrofitting wireless receivers
- 1 extension slot for retrofitting an audio link module
- 1 extension slot for retrofitting a CD/MP3 player with SD slot and USB port
- Microphone inputs with adjustable reverb effect
- Line input (XLR und Cinch), switchable stereo/mono
- Microphone inputs, line input and Bluetooth module with separate volume controls
- Mixer section with common master control and 2-band tone control
- Stereo/mono switch for the master signal during audio link operation
- Additional XLR output for linking several systems via cable
- Switchable microphone priority circuit - ideal for presentations
- Ergonomic design
- Integrated automatic charging of the battery and status indicator
- Control via Bluetooth
- Supported codecs: AAC, SBC
- 2.4 GHz license-free worldwide
- Black metal grille
- Rugged carrying handle
- Trolley
- For application areas such as: Theater; mobile use; wedding/gala/events; product presentations and lectures

battery pack

Logistic

EAN / GTIN: 4026397615609

Weight: 25,00 kg

Length: 0.50 m

Width: 0.47 m

Height: 0.72 m

- Battery pack must be ordered separately
 - Cordless, flexible and versatile
 - Battery operation up to 8h
 - <p>ACCESSORY Battery 12V/7000mAh
- Maintenance-free lead acid battery**
- High energy density
 - Long life
 - Sealed leak proof construction
 - Cordless, flexible and versatile

Technical specifications:

Weight:	20.41 kg
---------	----------

OMNITRONIC MOM-10BT4 Modular Wireless PA System

Power supply:	230 V AC, 50 Hz Or 12V DC
Power consumption:	Max. 100 W
Output power:	Max. 160 W 80 W RMS
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) Battery/battery pack (not included)
Frequency range:	50 - 18000 Hz
THD:	<1 % at 1 kHz
Control:	Bluetooth
Bluetooth:	Version: 4.0 Profiles: A2DP
Bluetooth device name:	OMNITRONIC
Supported codecs:	AAC, SBC
Frequency band:	2.4 GHz
Attachment system:	Flange: Ø 35mm
Circuitry:	Class D
Status LED:	Charge status indicator, pairing
Connections:	Input: line via 1 x stereo RCA Input: line via 1 x 3-pin XLR Input: microphone via 2 x 3-pin XLR/6.35mm jack (F) combination socket (mounting version) Output: line via 1 x 3-pin XLR
Input channels:	2 x mono via Combination socket (XLR/jack), channel control via rotary dial 1 x mono + stereo via XLR or RCA, channel control via rotary dial
Speaker:	1 x woofer 10" Tweeter 1"
Type of speaker:	Compact cabinet speaker

Type of construction:	Vented
Carrying handle:	1 pc/pcs
Transport aid:	Trolley
Material:	Plastic
Color:	Black
Dimensions:	Width: 33.5 cm Depth: 37.5 cm Height: 53.5 cm
Weight:	15.75 kg
Battery pack type:	2 x lead 12 V, 7000 mAh, 84 Wh
Battery pack:	Battery operation up to 8h Recharging time 5h

ACCESSORY Battery 12V/7000mAh

Battery pack type:	1 x lead 12 V, 7000 mAh,
Connections:	6.3 mm flat plug
Dimensions:	Width: 16.1 cm Depth: 6.5 cm Height: 10 cm
Weight:	2.33 kg

Scope of delivery:

1 x compact cabinet speaker
 1 x antenna
 1 x power cord
 1 x user manual
 1 x declaration of conformity