

OMNITRONIC Set PODCAST

Art. No.: 20000561

GTIN:



Features:

Logistic

OMNITRONIC MIC CM-78 Large Diaphragm Condenser Mic

Large diaphragm condenser microphone for professional studio applications

- High brilliance and particularly clear sound due to premium-grade electronic circuit and diaphragm capsule
- Extra thin, gold-plated 34 mm diaphragm
- Designed for professional studio applications and high-quality home recording
- Ideal for almost every recording application from vocals to pianos and acoustic instruments
- Cardioid pickup pattern with low self-noise and high maximum SPL
- Robust metal body with silver-colored finish
- 48 V phantom power
- Delivery includes shockmount with 16 mm thread (5/8"), windscreen and thread adapter (9 mm/3/8")
- Supplied in an aluminum case
- Polar pattern: Cardioid

OMNITRONIC MDI-001XLR XLR USB Interface

USB interface with integrated preamplifier for XLR microphones

- USB interface directly connects XLR microphones to your computer
- For digital recordings of vocals, speech, instruments, podcasts and voice messaging
- Plug & play - connects to PC and Mac without driver installation

- Integrated studio-quality preamplifier with variable gain control
- High-resolution A/D converter (16 bits/8-48 kHz) for high-end audio quality
- +48 V phantom power for condenser microphones can be switched on
- Stereo headphones output with separate volume control for zero-latency monitoring
- Tone control for high and low frequencies
- Delivery includes USB cable
- Windows XP, Vista, 7 and Mac OS X 10.0 and better

OMNITRONIC Table Microphone Arm TMA-1N

Telescopic arm with XLR cable, can be mounted onto tabletops

- Adjustable height

OMNITRONIC SHP-600 Hi-Fi Headphones

HiFi stereo headphones

- Half-open, circumaural, dynamic stereo headphones
- A powerful 53 mm neodymium magnet and a very lightweight aluminum voice coil provide for excellent sound
- Well-padded, adjustable aluminum headband
- Comfortable velour ear pads
- Optimal wearer-comfort due to single OFC cable
- Gold-plated 3.5 mm stereo jack with 6.3 mm adapter
- For application areas such as: Mobile djs / entertainer; homerecording and studios; home entertainment

Technical specifications:

Weight:	2.52 kg
---------	---------

OMNITRONIC MIC CM-78 Large Diaphragm Condenser Mic

Type:	Studio microphone
Capsule type:	Condenser
Polar pattern:	Cardioid
Frequency range:	20 - 20000 Hz
S/N ratio:	>78 dB
Sensitivity:	-34 dB
Max. SPL:	132 dB
Phantom power:	48 V DC
Impedance:	150 Ohm
Connections:	Microphone via 3-pin XLR
Switch:	Without
Weight:	1.24 kg
Weight:	0.732 kg
Weight:	0.315 kg
Weight:	0.193 kg
Weight:	0.003 kg

OMNITRONIC MDI-001XLR XLR USB Interface

Frequency range:	20 - 20000 Hz
Dimensions:	Width: 12.3 cm Depth: 2.5 cm Height: 2.5 cm
Weight:	0.11 kg
Power supply:	USB bus, max. 500 mA
A/D converter:	16 bits
Sampling frequency:	8-48 kHz
Microphone input:	3-pin XLR, bal.
Digital output:	USB mini-B
Headphones output:	3.5 mm stereo jack

OMNITRONIC Table Microphone Arm TMA-1N

Height:	Maximum: 105 cm Minimum: 43 cm
Attachment system:	3/8 inch to 5/8 inch adapter
Type (general stands):	Microphone stand (desk)
Clamp area:	0 - 40 mm
Color:	Black
Weight:	0.78 kg

OMNITRONIC SHP-600 Hi-Fi Headphones

Cable length:	3 m
Frequency range:	15 - 28000 Hz
Max. SPL:	93 dB
Rated power:	600 mW
Impedance:	60 Ohm
Connector type:	6.3 mm jack (stereo); 3.5 mm jack (stereo)
Connections:	Headphones via 6.3 mm jack (stereo) Headphones via 3.5 mm jack (stereo)
Speaker:	2" with neodymium magnet
Transducer type:	Dynamic
Type (headphones):	Half open, enclosing
Weight:	0.39 kg

Scope of delivery:

1 x OMNITRONIC MIC CM-78 Large Diaphragm Condenser Mic

1 x case
1 x user manual
1 x microphone
1 x holder
1 x windshield

1 x OMNITRONIC Table Microphone Arm TMA-1N

1 x holder

1 x OMNITRONIC SHP-600 Hi-Fi Headphones

1 x headphones

1 x bag