

EUROLITE Set 2x LED STP-7 Beam/Wash Bar + Case

2x LED light bar with 7 LEDs for beam and 7 LEDs for wash effects incl. PRO flightcase

Art. No.: 20000576

GTIN:



The article is no longer in our assortment.

Features:

- 7 LEDs 3 W high-power cold white (CW)
 LEDs controlled separately
 - 7 LEDs 7 W high-power 3in1 RGB (homogenous color mix)
 - Color selection; color blend stepless; Dimmer electronic
 - Atmospheric effect
 - Can be operated in 3; 6; 4; 10; 12; 15 CH mode
 - The device is cooled by cooling fan
 - Control via stand-alone; sound to light via microphone; master/slave function; DMX; QuickDMX (optional); W-DMX by wireless solution (optional); CRMX by LumenRadio (optional)
 - With a beam angle of 2° spot
 - With a beam angle of 40° wash effect
 - With mounting bracket
 - Monochrome 4 digit 7-segment LED display
 - Mains input and output for power linking up to 8 units
 - For application areas such as: Clubs/dancing school; stage; mobile djs / entertainer; restaurants, bars and hotels; rental
 - Application possibility: Standing; suspended
 - <p>ROADINGER Flightcase 2x LED STP-7
- Carrying case, PRO version**
- 6 mm, dark brown, laminated
 - Interior with foam padding
cover with foam padding
 - Aluminum profile frames 25mm with rounded edges
 - Hinged, chromium plated case handle
 - 2 chrome tip-over locks
 - 2 high-quality butterfly locks
 - Closes with a
 - Branded hardware

Logistic

- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	17.30 kg
---------	----------

EUROLITE LED STP-7 Beam/Wash Bar

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	180 W
Protection class:	Protection class I
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug (provided)
Power output:	1 x P-Con (grey), mounting version
Fuse:	5 x 20 mm, T 1.6 A fuse replaceable
Lamp type:	LED lamp
LED type:	7 x 3 W high-power cold white (CW) 7 x 7 W high-power 3in1 RGB (homogenous color mix)
Flash rate:	0 - 20 Hz
DMX channels:	3; 6; 4; 10; 12; 15
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Cooling:	Cooling fan
Control:	Stand-alone; sound to light via microphone; master/slave function; DMX; QuickDMX (optional); W-DMX by wireless solution (optional); CRMX by LumenRadio (optional)
Fixtures available for:	Light´J; LED PC-Control 512; Light Captain
Beam angle:	2° spot; 40° wash effect
Beam angle (1/2 peak):	Spot 2° Wash effect 40°
Beam angle (1/10 peak):	Wash effect 71°
Housing color:	Black
Attachment system:	Mounting bracket
Display type:	Monochrome 4 digit 7-segment LED display
Dimensions:	Length: 100 cm Depth: 12 cm Height: 14 cm
Weight:	3.90 kg
Noise classification:	Class 2 (slight noise)

ROADINGER Flightcase 2x LED STP-7

Maximum load:	25 kg
---------------	-------

Aluminum profile frames:	25 mm
Case handle:	1 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Use of brands:	Branded hardware
Color:	Dark brown, laminated
Outer compartment:	100 cm x 5 cm x 15 cm
Inside dimensions:	100 cm x 25.5 cm x 15 cm
Middle compartment:	100 cm x 8.5 cm x 15 cm
Material thickness:	6 mm
Dimensions:	Length: 104 cm Width: 30 cm Depth: 22.5 cm
Weight:	9.50 kg

Scope of delivery:

2 x EUROLITE LED STP-7 Beam/Wash Bar

- 1 x spotlight
- 1 x power cord
- 1 x user manual
- 1 x mounting bracket

1 x ROADINGER Flightcase 2x LED STP-7

- 1 x case