



**The article is no longer in our assortment.**

### Features:

### Logistic

#### EUROLITE LED TMH-X19 Moving-Head Wash Zoom

Washlight with 19 x 25 W LEDs, 7in1 RGBWAL/UV color mixing and motorized zoom

- Moving Head Washlight with nineteen 7in1 LEDs and zoom
- Equipped with nineteen 25 W LEDs in the colors red, green, blue, amber, white, lemon and UV
- 22 or 36 DMX channels selectable
- Different LED segments, which can be controlled individually via DMX
- Positioning within 540° PAN and 270° TILT
- Stepless RGBAWL+UV color mixture
- Color presets
- 12 Macros
- 5 internal color-programs
- Dimmer
- Dimmer speed (step response) adjustable
- Motorized zoom with 4-58° beam angle
- Sound-control via built-in microphone; sensitivity adjustable
- Strobe effect with adjustable speed, random strobe effect
- Automatic position correction
- Exact positioning via 16 bit PAN/TILT movement resolution
- PAN angle switchable between 540° and 360°
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Control board with color LCD for adjusting the DMX-starting address, PAN/TILT Reverse, Reset

- Switch-mode power supply for operation between 100 and 240 volts
- P-Con terminals for power linking up to 8 units
- 19 LEDs 25 W high-power 7in1 RGBWAL/UV (homogenous color mix)
- PAN angle switchable between 540° and 360°
- Auto position correction (feedback)
- Exact positioning (16 bit resolution)
- Zoom motor driven
- Strobe effect
- Can be operated in 22; 36 CH mode
- The device is cooled by cooling fan
- Control via stand-alone; sound to light via microphone
- Flicker-free
- With a beam angle of 4° - 58°

#### **ROADINGER Flightcase 2x LED TMH-X19 Moving head**

Trunk case with castors, PRO version

- High-quality workmanship with plywood multi-layer glued , black, laminated
- Castors
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### **Technical specifications:**

|         |          |
|---------|----------|
| Weight: | 57.70 kg |
|---------|----------|

#### **EUROLITE LED TMH-X19 Moving-Head Wash Zoom**

|                         |                                                                                                 |
|-------------------------|-------------------------------------------------------------------------------------------------|
| Power supply:           | 100-240 V AC, 50/60 Hz                                                                          |
| Power consumption:      | 350 W                                                                                           |
| Power connection:       | Mains input via P-Con (blue), mounting version<br>power supply cord with safety plug (provided) |
| Power output:           | 1 x P-Con (grey), mounting version                                                              |
| Lamp type:              | LED lamp                                                                                        |
| LED type:               | 19 x 25 W high-power 7in1 RGBWAL/UV<br>(homogenous color mix)                                   |
| Max. TILT movement:     | 270° exact positioning (16 bit resolution) auto<br>position correction (feedback)               |
| Max. PAN movement:      | 540°, 360° exact positioning (16 bit resolution)<br>auto position correction (feedback)         |
| Flash rate:             | 0 - 20 Hz                                                                                       |
| Equipment:              | Zoom motor driven                                                                               |
| DMX channels:           | 22; 36                                                                                          |
| DMX input:              | 1 x 3-pin XLR (M) mounting version<br>1 x 5-pin XLR (M) mounting version                        |
| DMX output:             | 1 x 3-pin XLR (F) mounting version<br>1 x 5-pin XLR (F) mounting version                        |
| Cooling:                | Cooling fan                                                                                     |
| Control:                | Stand-alone; sound to light via microphone                                                      |
| Fixtures available for: | Light´ J; LED PC-Control 512; Light Captain                                                     |

|                         |                                                   |
|-------------------------|---------------------------------------------------|
| Projection:             | Flicker-free                                      |
| Beam angle:             | 4° - 58°                                          |
| Beam angle (1/2 peak):  | 4 - 31°                                           |
| Beam angle (1/10 peak): | 9 - 58°                                           |
| Housing color:          | Black                                             |
| Dimensions:             | Width: 38 cm<br>Depth: 23.1 cm<br>Height: 49.8 cm |
| Weight:                 | 14.40 kg                                          |

#### **ROADINGER Flightcase 2x LED TMH-X19 Moving head**

|                     |                           |
|---------------------|---------------------------|
| Transport aid:      | Castors                   |
| Use of brands:      | Branded hardware          |
| Material:           | Plywood multi-layer glued |
| Color:              | Black, laminated          |
| Middle compartment: | 11.5 cm x 55 cm x 36 cm   |
| Device compartment: | 29 cm x 55 cm x 36 cm     |
| Inside dimensions:  | 55 cm x 36 cm             |
| Weight:             | 25.10 kg                  |

#### **Scope of delivery:**

1 x device  
 1 x user manual  
 1 x power cord  
 2 x omega bracket  
 1 x XLR cable