

EUROLITE Set Mirror ball 50cm gold with stand and tripod cover white

Golden mirror ball incl. stand mount with motor, tripod cover and speaker stand

Art. No.: 20000712

GTIN: 4026397678260



Features:

- Mirror ball with a stable plastic core
- High stability due to integrated axle
- Exact alignment
- Genuine gold-colored glass mirror facets
- Additional safety eyelet for safety chain
- <p>EUROLITE Quick Link Type A-90

Quick link

- Complies with DIN 56927:2009-03
- <p>EUROPALMS Tripod Cover white three sides

Cover for lighting stands

- Best suited for reproducing light projections
- Extremely stretchable cloth
- Easy installation
- <p>OMNITRONIC M-2 Speaker-System Stand

Simple speaker stand, extendible up to 183 cm, maximum load 30 kg

- Height adjustable, with locking pin
- Adjustable height

Logistic

EAN / GTIN: 4026397678260

Weight: 14,00 kg

Length: 1.20 m

Width: 0.60 m

Height: 0.60 m

Bulky product

Technical specifications:

Weight:

9.07 kg

EUROLITE Mirror Ball 50cm gold

Standing/fixation:	Eyelet
Color:	Gold
Mirror Dimensions:	1 cm x 1 cm
Dimensions:	Diameter: Ø 50 cm
Weight:	4.30 kg

EUROLITE Stand Mount with Motor for Mirror balls up to 50cm wh

Cable length:	3 m
---------------	-----

EUROLITE Quick Link Type A-90

Maximum load WLL (10-fold):	90 kg
Standard:	DIN 56927:2009-03,
Shape:	A - small opening
Material:	Steel, zinc-plated
Opening:	0-5.5 mm
Dimensions:	Length: 3.10 cm Width: 4.10 cm Depth: 2.20 cm Diameter: Ø 0.40 cm
Weight:	0.01 kg

EUROPALMS Tripod Cover white three sides

Setup:	Easy installation
Type (general stands):	Accessory
Color:	White
Weight:	0.31 kg

OMNITRONIC M-2 Speaker-System Stand

Maximum carrying capacity:	30 kg
Height:	Maximum: 183 cm Minimum: 100 cm
Attachment system:	Ø 35mm
Type (general stands):	Speaker stand/manual
Material:	Steel
Color:	Black
Weight:	2.40 kg

Scope of delivery:

1 x EUROLITE Mirror Ball 50cm gold

1 x mirror ball
1 x user manual

1 x EUROLITE Quick Link Type A-90

1 x device

1 x OMNITRONIC M-2 Speaker-System Stand

1 x stand
1 x user manual