

ALUTRUSS Set QUADLOCK Truss stand 100cm + Wooden panel

Set with stand for speakers and light effect devices, height 100cm

Art. No.: 20000754

GTIN: 4026397108576



The article is no longer in our assortment.

Features:

- Made in Germany
- <p>ALUTRUSS QUADLOCK 6082-1000 4-way Cross Beam
- **4-point truss system**
- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- Suitable for Quadlock 6082
- Any RAL color available on request
- Available in various colors and sizes
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"
- <p>EUROLITE Truss Cover 100cm white
- **Flexible truss cover**
- Best suited for reproducing light projections
- Extremely stretchable cloth
- Washable (needs to be treated with flame retardant spray afterwards)
- Suitable for all 4-point systems with 30 cm side length
- For application areas such as: Trade fair and shop fitting; wedding/gala/events
- <p>ALUTRUSS QUADLOCK endplate QQG 50cm x 50cm
- **Robust truss system**
- High stability
- High-quality aluminum-tubes with 50 mm in diameter

Logistic

EAN / GTIN: 4026397108576

Weight: 17,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

- Low weight
- Easy installation as the cross-beams do no longer need to be screwed on
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; clubs/dancing school
- <p>ALUTRUSS QUADLOCK Half Cone Coupler w.Thread M10
- Trusspipe: 50 mm
- Made in Europe
- <p>ACCESSORY Hexagonal Screw M10x40mm
- M10 thread

Technical specifications:

Weight:	15.18 kg
---------	----------

ALUTRUSS Wooden Panel 490x490x30mm cable bushing

Weight:	4.24 kg
---------	---------

ALUTRUSS QUADLOCK 6082-1000 4-way Cross Beam

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Alloy:	EN-AW 6082 T6 (AlSi1Mg)
Material:	Aluminum
Color:	Alu colored; any RAL color available on request
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 100 cm Width: 29 cm Height: 29 cm
Weight:	6.60 kg

EUROLITE Truss Cover 100cm white

Color:	White
Dimensions:	Length: 100 cm
Weight:	0.23 kg

ALUTRUSS QUADLOCK endplate QQG 50cm x 50cm

Setup:	Easy installation
Trusspipe:	50 mm
Color:	Alu colored

Weight:	3.60 kg
---------	---------

ALUTRUSS QUADLOCK Half Cone Coupler w.Thread M10

Trusspipe:	50 mm
Color:	Alu colored
Dimensions:	Length: 6 cm
Weight:	0.11 kg

ACCESSORY Hexagonal Screw M10x40mm

Thread:	M10 thread
Dimensions:	Length: 4 cm
Weight:	0.02 kg

Scope of delivery:

1 x ALUTRUSS QUADLOCK 6082-1000 4-way Cross Beam

1 x truss
1 x connection set

1 x EUROLITE Truss Cover 100cm white

1 x textile cover