

ALUTRUSS Set SINGLELOCK Divider 3.35 x 2.15m

Standing banner frame for area separation

Art. No.: 20000755

GTIN: 4026397108579



Features:

- Low weight
- For decoration or frame construction for projection foils
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; rental
- For further information about this product, please refer to the Data Sheet under "Downloads"
- <p>ALUTRUSS SINGLELOCK SP-1000 QUICK-LOCK Pipe
- **Single tube with QUICK-LOCK**
- Low weight
- For decoration or frame construction for projection foils
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Trade fair construction
- For further information about this product, please refer to the Data Sheet under "Downloads"
- <p>ALUTRUSS SINGLELOCK SPAC-21 QUICK-LOCK Corner 90°
- **Single tube with QUICK-LOCK**
- Low weight
- For decoration or frame construction for projection foils
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; stage; sports centres/gyms; rental

Logistic

EAN / GTIN: 4026397108579

Weight: 17,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

- <p>ALUTRUSS SINGLELOCK SPAT-36 3-way T-Corner 90°
Single tube with QUICK-LOCK
- Low weight
- For decoration or frame construction for projection foils
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; rental
- <p>ALUTRUSS SINGLELOCK Indoor Base
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Shop fitting; trade fair construction; sports centres/gyms; stage; rental
- <p>ALUTRUSS BILOCK BQ-2 Set cone/pivot/pin
- Trusspipe: 50 mm
- Made in Europe

Technical specifications:

Weight:	15.46 kg
---------	----------

ALUTRUSS SINGLELOCK SP-2000 QUICK-LOCK Pipe

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Dimensions:	Length: 200 cm
Weight:	1.85 kg

ALUTRUSS SINGLELOCK SP-1000 QUICK-LOCK Pipe

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Color:	Alu colored
Dimensions:	Length: 100 cm
Weight:	1.05 kg

ALUTRUSS SINGLELOCK SPAC-21 QUICK-LOCK Corner 90°

Setup:	Easy installation
Corner angle:	90°
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding

Welding material:	AlMg 5
Color:	Alu colored
Dimensions:	Length: 50 cm Width: 50 cm Height: 5 cm
Weight:	1.5 kg

ALUTRUSS SINGLELOCK SPAT-36 3-way T-Corner 90°

Setup:	Easy installation
Corner angle:	90°
Trusspipe:	50 mm x 2 mm
Color:	Alu colored
Dimensions:	Length: 50 cm Width: 50 cm Height: 5 cm
Weight:	1.35 kg

ALUTRUSS SINGLELOCK Indoor Base

Trusspipe:	50 mm
Color:	Alu colored
Weight:	1.73 kg

ALUTRUSS BILOCK BQ-2 Set cone/pivot/pin

Trusspipe:	50 mm
Color:	Alu colored
Weight:	0.50 kg

Scope of delivery:

2 x ALUTRUSS SINGLELOCK SP-2000 QUICK-LOCK Pipe

1 x connection set

2 x ALUTRUSS SINGLELOCK SP-1000 QUICK-LOCK Pipe

1 x connection set

2 x ALUTRUSS SINGLELOCK SPAC-21 QUICK-LOCK Corner 90°

1 x connection set

2 x ALUTRUSS SINGLELOCK SPAT-36 3-way T-Corner 90°

2 x connection set