



**List price: 260.61 €**

incl. 19% VAT.

### Features:

#### EUROLITE AKKU Mini PARTY RGBW Spot MK2

DMX spotlight with 12 x 1 W LED in the colors red, green, blue and white

- Compact design
- Charging and operation also possible via USB power bank
- Cordless, flexible and versatile
- 3 LEDs 1 W SMD 8072 red (R)
- 3 LEDs 1 W SMD 8072 green (G)
- 3 LEDs 1 W SMD 8072 blue (B)
- 3 LEDs 1 W SMD 8072 cold white (CW)
- Color blend stepless; color change adjustable; Dimmer electronic
- Strobe effect
- Can be operated in 4; 6 CH mode
- The device is cooled by cooling fan
- Control via IR remote control; stand-alone; DMX; sound to light via microphone; master/slave function
- Flicker-free
- With a beam angle of 7°
- With mounting bracket
- Monochrome 4 digit 7-segment LED display
- For application areas such as: Party room; decoration
- Application possibility: Standing; suspended; on stand

### Logistic

EAN / GTIN: 4026397714593

Weight: 3,50 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

#### mounting bracket

- Easy installation
- The article is delivered dismantled

#### EUROLITE SB-13 Soft Bag

Transport bag

- With 3 dividers
- With 4 compartments
- High-quality workmanship with nylon , black, water repellent
- Interior with foam padding
- 2 carrying straps

#### Technical specifications:

|         |         |
|---------|---------|
| Weight: | 2.68 kg |
|---------|---------|

#### EUROLITE AKKU Mini PARTy RGBW Spot MK2

|                         |                                                                                                                                             |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Power supply:           | 5V DC                                                                                                                                       |
| Power consumption:      | 5 W                                                                                                                                         |
| Protection class:       | Protection class III                                                                                                                        |
| Power connection:       | Battery/battery pack<br>Mains input via USB C (W) mounting version<br>power supply cord for USB A mains connection<br>(provided)            |
| Battery pack type:      | 1 x lithium ion 3.7 V, 2600 mAh, 9.62 Wh                                                                                                    |
| Lamp type:              | LED lamp                                                                                                                                    |
| LED type:               | Each 3 x 1 W SMD 8072 red (R)<br>Each 3 x 1 W SMD 8072 green (G)<br>Each 3 x 1 W SMD 8072 blue (B)<br>Each 3 x 1 W SMD 8072 cold white (CW) |
| Flash rate:             | 0.5 - 15 Hz                                                                                                                                 |
| DMX channels:           | 4; 6                                                                                                                                        |
| DMX input:              | 1 x 3-pin XLR (M) mounting version                                                                                                          |
| DMX output:             | 1 x 3-pin XLR (F) mounting version                                                                                                          |
| Cooling:                | 1 x cooling fan                                                                                                                             |
| Control:                | IR remote control; stand-alone; DMX; sound to<br>light via microphone; master/slave function                                                |
| Fixtures available for: | Light Captain; Light J; Colorchief                                                                                                          |
| Projection:             | Flicker-free                                                                                                                                |
| PWM frequency:          | 15600 Hz                                                                                                                                    |
| Beam angle:             | 7°                                                                                                                                          |
| Beam angle (1/2 peak):  | 7°                                                                                                                                          |
| Beam angle (1/10 peak): | 22°                                                                                                                                         |
| Color temperature:      | 7300K                                                                                                                                       |
| Housing color:          | Black matte                                                                                                                                 |
| Attachment system:      | 2x mounting bracket                                                                                                                         |

|                          |                                                         |
|--------------------------|---------------------------------------------------------|
| Display type:            | 1 x monochrome 4 digit 7-segment LED display            |
| Status LED:              | Charge status indicator                                 |
| Dimensions:              | Width: 15 cm<br>Depth: 9 cm<br>Height: 15 cm            |
| Weight:                  | 0.61 kg                                                 |
| Noise classification:    | Class 2 (slight noise)                                  |
| Material:                | Plastic hard                                            |
| Battery:                 | 1 x button cell 3.0 V CR2025 lithium manganese built-in |
| Setup:                   | Easy installation                                       |
| Diameter mounting holes: | 1 x Ø10.7mm; 2 x Ø8mm                                   |
| Material:                | Metal                                                   |

**EUROLITE SB-13 Soft Bag**

|                 |                                                |
|-----------------|------------------------------------------------|
| Maximum load:   | 10 kg                                          |
| Carrying strap: | 2 pc/pcs                                       |
| Material:       | Nylon                                          |
| Color:          | Black, water repellent                         |
| Dimensions:     | Length: 41 cm<br>Depth: 16 cm<br>Height: 19 cm |
| Weight:         | 0.26 kg                                        |

**Scope of delivery:**

**4 x EUROLITE AKKU Mini PARTy RGBW Spot MK2**

- 1 x spotlight
- 1 x user manual
- 1 x external mains adapter
- 1 x USB cable
- 1 x remote control
- 1 x battery
- 2 x mounting bracket
- 2 x washer
- 2 x knurled screw

**1 x EUROLITE SB-13 Soft Bag**

- 1 x bag