

## EUROLITE Set 4x LED PMB-4 COB QCL 30W Bar + Case

Art. No.: 20000996

GTIN: 4026397527940



**List price: 1962.31 €**

incl. 19% VAT.

### Features:

#### EUROLITE LED PMB-4 COB QCL 30W Bar

LED light effect bar with RGBW color mixing, incl. IR remote control

- 4 LEDs 30 W COB (chip-on-board) 4in1 RGBW (homogenous color mix)
- Color blend stepless; color change adjustable; color fade adjustable; Dimmer electronic
- Strobe effect
- Integrated show programs
- Direct color selection for 27 preset colors
- Can be operated in 3; 4; 5; 6; 8; 16; 20 CH mode
- The device is cooled by low-noise cooling fan
- Control via stand-alone; IR remote control; DMX; master/slave function; sound to light via microphone; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
- Flicker-free
- With a beam angle of 45°
- With mounting bracket
- LCD display
- Mains input and output for power linking up to 8 units
- For application areas such as: Stage; clubs/dancing school; wedding/gala/events; Trade fair and shop fitting; restaurants, bars and hotels; theater; rental; video and photography; advertisement/Shop window
- Very quiet working noise

### Logistic

EAN / GTIN: 4026397527940

Weight: 43,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

Bulky product

- Application possibility: Standing; suspended; on stand

### ROADINGER Flightcase 4x LED PMB-4 COB QCL with wheels

Trunk case with castors, PRO version

- High-quality workmanship with birch multiplex 9 mm, black, laminated
- Interior with foam padding<BR>cover with foam padding
- Aluminum profile frames 25mm with rounded edges
- 4 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Closes with a
- 4 x castors with 2 locking brakes
- PENN Hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

### Technical specifications:

|         |          |
|---------|----------|
| Weight: | 41.65 kg |
|---------|----------|

### EUROLITE LED PMB-4 COB QCL 30W Bar

|                         |                                                                                                                                                                                                                           |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Power supply:           | 100-240 V AC, 50/60 Hz                                                                                                                                                                                                    |
| Power consumption:      | 110 W                                                                                                                                                                                                                     |
| Protection class:       | Protection class I                                                                                                                                                                                                        |
| Power connection:       | Mains input via P-Con (blue), mounting version<br>power supply cord with safety plug (provided)                                                                                                                           |
| Power output:           | P-Con (grey), mounting version                                                                                                                                                                                            |
| Fuse:                   | T 2 A fuse replaceable                                                                                                                                                                                                    |
| Lamp type:              | LED lamp                                                                                                                                                                                                                  |
| LED type:               | 4 x 30 W COB (chip-on-board) 4in1 RGBW<br>(homogenous color mix)                                                                                                                                                          |
| Flash rate:             | 0 - 20 Hz                                                                                                                                                                                                                 |
| DMX channels:           | 3; 4; 5; 6; 8; 16; 20                                                                                                                                                                                                     |
| DMX input:              | 3-pin XLR (M) mounting version                                                                                                                                                                                            |
| DMX output:             | 3-pin XLR (F) mounting version                                                                                                                                                                                            |
| Cooling:                | 2 x low-noise cooling fan                                                                                                                                                                                                 |
| Control:                | Stand-alone; IR remote control; DMX;<br>master/slave function; sound to light via<br>microphone; QuickDMX via USB (optional); W-<br>DMX by wireless solution via USB (optional);<br>CRMX by LumenRadio via USB (optional) |
| Fixtures available for: | Light Captain; EASY SHOW 2; EASY SHOW 1;<br>EASY SHOW 3; Light J; Colorchief                                                                                                                                              |
| Projection:             | Flicker-free                                                                                                                                                                                                              |
| Beam angle:             | 45°                                                                                                                                                                                                                       |
| Beam angle (1/2 peak):  | 45°                                                                                                                                                                                                                       |
| Beam angle (1/10 peak): | 74°                                                                                                                                                                                                                       |
| Housing color:          | Black                                                                                                                                                                                                                     |

|                          |                                                                        |
|--------------------------|------------------------------------------------------------------------|
| Attachment system:       | Mounting bracket                                                       |
| Display type:            | LCD display                                                            |
| Material:                | Aluminum casting; metal                                                |
| Dimensions:              | Length: 49.0 cm<br>Depth: 16.3 cm<br>Height: 20.6 cm                   |
| Weight:                  | 5.75 kg                                                                |
| Noise classification:    | Class 1 (very slight noise, suitable for noise-sensitive environments) |
| Photobiological safety:  | Risk Group 0                                                           |
| Diameter mounting holes: | 3 x Ø11mm; 1 x Ø10mm; 2 x Ø8mm; 2 x Ø6mm                               |
| Material:                | Metal, 3 mm                                                            |
| Cable construction:      | 3 x 1.0 mm² H05RN-F                                                    |
| Cable length:            | Approx. 1.2 m                                                          |
| Battery:                 | 1 x button cell 3.0 V CR2025 lithium manganese built-in                |

#### **ROADINGER Flightcase 4x LED PMB-4 COB QCL with wheels**

|                          |                                               |
|--------------------------|-----------------------------------------------|
| Maximum load:            | 100 kg                                        |
| Aluminum profile frames: | 25 mm                                         |
| Case handle:             | 4 pc/pcs                                      |
| Stop hinge:              | 2 pc/pcs                                      |
| Lock:                    | Butterfly lock: 2 pc/pcs                      |
| Transport aid:           | 4 x castors with 2 locking brakes             |
| Use of brands:           | PENN Hardware                                 |
| Material:                | Birch multiplex, 9 mm                         |
| Color:                   | Black, laminated                              |
| Device compartment:      | 12 cm x 50 cm x 26 cm                         |
| Accessory compartment:   | 9 cm x 52 cm x 28 cm                          |
| Dimensions:              | Width: 89 cm<br>Depth: 56 cm<br>Height: 47 cm |
| Weight:                  | 18.65 kg                                      |

#### **Scope of delivery:**

1 x light effect  
 1 x power cord  
 1 x remote control  
 1 x battery  
 1 x user manual