EUROLITE Set RETRO BOWL 1 + RS-1 Retro Stand

Art. No.: 20001073

GTIN: 4026397190908





List price: 474.81 €

incl. 19% VAT.

Features:

EUROLITE RETRO BOWL 1

Warm white retro spotlight with colored LED rings

- 1 LED 200 W COB (chip-on-board) warm white (WW)
- 48 LEDs 0.5 W SMD 5050 3in1 RGB
- 57 LEDs 0.2 W SMD 5050 3in1 RGB
- Wash effect; strobe effect; twinkle effect
- Control via CRMX by LumenRadio via USB (optional); stand-alone; sound to light; master/slave function; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional)
- Dimmer electronic; color blend stepless; color fade stepless; color change adjustable; color selection manual; program selection; program speed adjustable; mood lights
- 15 integrated show programs
- Direct color selection for 15 preset colors
- Flicker-free
- With double bracket
- Mains input and output for power linking up to 8 units
- Built with SEETRONIC connector
- For application areas such as: Clubs/dancing school; wedding/gala/events; party room; stage; mobile djs / entertainer; restaurants, bars and hotels; rental; video and photography
- Application possibility: Standing; suspended; on stand
- Can be operated in 7; 13; 15 CH mode

spotlight

Logistic

EAN / GTIN: 4026397190908
Weight: 16,00 kg
Length: 0.00 m
Width: 0.00 m
Heigth: 0.00 m

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

- The device is cooled by temperature-controlled fan at the head

EUROLITE RS-1 Retro Stand

Retro style lighting stand with bag, maximum load 25kg, height 92-155 cm

- The article is delivered pre-assembled
- The article is delivered with practical transport bag
- Adjustable height
- For application areas such as: Wedding/gala/events

Technical specifications:

Weight:	15.45 kg

EUROLITE RETRO BOWL 1

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	180 W
Protection class:	Protection class I
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug (provided)
Cable construction:	3 x 1.0 mm² H05VV-F
Cable length:	1.2 m
Power output:	1 x P-Con (grey), mounting version Bypass
Fuse:	T 8 A fuse serviceable
Lamp type:	LED lamp
LED type:	1 x 200 W COB (chip-on-board) warm white (WW) 48 x 0.5 W SMD 5050 3in1 RGB 57 x 0.2 W SMD 5050 3in1 RGB
Flash rate:	1 - 20 Hz
DMX channels:	7; 13; 15
DMX input:	3-pin XLR (M) mounting version 5-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version 5-pin XLR (F) mounting version
Control:	CRMX by LumenRadio via USB (optional); stand-alone; sound to light; master/slave function; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
Fixtures available for:	Light´J; Light Captain; LED PC-Control 512; Colorchief
Projection:	Flicker-free
PWM frequency:	22000 Hz
DMX fail mode:	Blackout
Beam angle (1/2 peak):	Spot 40°
Beam angle (1/10 peak):	Spot 89°

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Color temperature:	2900K
Lamp life:	10000 h
Housing color:	Black matte
Attachment system:	Double bracket
Display type:	Monochrome 4 digit 7-segment LED display
USB port:	Type A
Use of brands:	Built with SEETRONIC connector
Material:	Metal, painted
Dimensions:	Length: 40 cm Depth: 23 cm Height: 36 cm Diameter: Ø 32 cm
Weight:	4.70 kg
Noise classification:	Class 2 (slight noise)
Cooling:	1 x temperature-controlled fan at the head
Material thickness:	2 mm
Diameter mounting holes:	4 x Ø8.2mm

EUROLITE RS-1 Retro Stand

Maximum carrying capacity:	25 kg
Height:	Maximum: 155 cm Minimum: 92 cm Adjustable in 12 steps
Attachment system:	Ø 12mm 6x M6 thread
Type (general stands):	Other stands
Material:	Steel (powder-coated)
Color:	Black
Transport dimensions:	97 cm x 14 cm x 14 cm
Base area:	Ø 120 cm
Mounting size min.:	67 cm x 57 cm x 92 cm
Mounting size max.:	102 cm x 88 cm x 155 cm
Weight:	9.50 kg

Scope of delivery:

1 x EUROLITE RETRO BOWL 1

1 x spotlight
1 x user manual
1 x power cord
2 x mounting bracket
4 x screw
4 x washer

1 x EUROLITE RS-1 Retro Stand

1 x stand
1 x bag
1 x screw
1 x nut

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.