

## EUROLITE KLS-Kombo Pack 7

Mobile light set with foot pedal

Art. No.: 42109547

GTIN:



### Features:

- Combines four LED spots and four matrix effects
- The standard light system for every small band, solo entertainers and parties
- Set consisting of: 42109610 EUROLITE LED KLS-150 Compact lightset, 51918559 EUROLITE LED MAT-Bar 4x64 Matrix strip, 60004120 Speaker system stand alu, black, 59007081 EUROLITE STV-3529 Adapter long
- Details to the products:
- KLS-150 Compact lightset
- TCL LEDs for exquisite RGB mixing
- Foot controller included
- Transport bag
- MAT-Bar 4x64 Matrix strip
- Space-saving solution
- Diverse mounting options; via mounting hole for example
- 256 LEDs
- You can find more information under the respective article
- <p>EUROLITE LED KLS-150 Compact light set
- **Compact LED spotlight set with 16 3in1 LEDs**
- Compact LED light set with 4 slimline spots, stand adaptor and foot pedal
- Ultra-light ideally suited for mobile use
- Mounts to stands and truss systems
- Comes pre-assembled with practical transport bag
- 4 tri-color LEDs per spot provide for an exquisite RGB color mix
- Movable and tiltable spotlights
- Automatic mode with preset colors and programs (RGB color change and fade)
- Program speed adjustable
- Sound-control via built-in microphone with sensitivity control

### Logistic

- Blackout function
  - Convenient control via supplied foot pedal FP-2
  - Black lacquered metal version
  - Ready for connection with power cord and safety plug
  - <p>OMNITRONIC Speaker System Stand alu bk
- High-quality speaker stand**
- Stable speaker stand for mobile use
  - The telescopic tube is additionally fixed with a safety pin
  - Adjustable height
  - <p>EUROLITE STV-3529 Adapter long
- Massive adapter for 35 mm tube, 28 mm TV spigot, maximum load WLL 100 kg**
- For stands with telescopic tube 35 mm
  - Connection element for cross beam with 28 mm TV spigot
  - With M6 and M8 fixation screw
  - Heavy version for highest stability
  - TV spigot
  - <p>EUROLITE LED MAT-Bar 4x64 Matrix bar
- Flower effect bar with 256 LEDs (RGB)**
- DMX512 control via regular DMX controller (occupies 7 channels)
  - The colorful flower beams change their direction of movement at every bass beat in sound controlled mode
  - Sound controlled via built-in microphone
  - Microphone sensitivity adjustable via rotary control
  - Auto mode, speed adjustable via DMX
  - Internal programs
  - Master/Slave function
  - Control panel with 4 buttons and LED display
  - Rugged compact housing
  - Ready for connection with power cord and plug
  - Including mounting bracket and mounting hole (36 mm) with fixation screw for installation on a truss system or stand, and carry bag
  - Control via stand-alone; DMX
  - <p>OMNITRONIC XLR Cable 3-pin 1m bk
- Audio cable with 3-pin XLR connectors**

## Technical specifications:

---

|         |          |
|---------|----------|
| Weight: | 17.33 kg |
|---------|----------|

---

### EUROLITE LED KLS-150 Compact light set

|                         |                                                |
|-------------------------|------------------------------------------------|
| Power supply:           | 230 V AC, 50 Hz                                |
| Power consumption:      | 60.00 W                                        |
| Dimensions:             | Width: 95 cm<br>Depth: 4.5 cm<br>Height: 23 cm |
| Weight:                 | 5.80 kg                                        |
| LED type:               | 3 W TCL                                        |
| LED number:             | 16                                             |
| Beam angle:             | 15°                                            |
| Sound control:          | via built-in microphone                        |
| Dimensions (L x W x H): | 950 x 45 x 230 mm                              |



|                            |                                    |
|----------------------------|------------------------------------|
| Maximum carrying capacity: | 30 kg                              |
| Height:                    | Maximum: 230 cm<br>Minimum: 140 cm |
| Type (general stands):     | Speaker stand/manual               |
| Material:                  | Aluminum                           |
| Color:                     | Black                              |
| Weight:                    | 3.45 kg                            |
| Maximum load:              | 30 kg                              |
| Maximum load (DIN15560):   | 18 kg                              |
| Minimum height:            | 1.40 m                             |
| Maximum height:            | 2.20 m                             |

#### **EUROLITE STV-3529 Adapter long**

|                               |                                                   |
|-------------------------------|---------------------------------------------------|
| Maximum load BGV C1 (8-fold): | 50 kg                                             |
| Maximum load WLL (4-fold):    | 100 kg                                            |
| Attachment system:            | TV spigot Ø 28mm<br>Ø 35mm                        |
| Type (general stands):        | Accessory                                         |
| Material:                     | Steel, 6 mm, powder-coated                        |
| Dimensions:                   | Width: 8.50 cm<br>Depth: 5 cm<br>Height: 19.50 cm |
| Weight:                       | 1.50 kg                                           |

#### **EUROLITE LED MAT-Bar 4x64 Matrix bar**

|                         |                                              |
|-------------------------|----------------------------------------------|
| Power supply:           | 230 V AC, 50 Hz                              |
| Power consumption:      | 40.00 W                                      |
| Lamp type:              | LED lamp                                     |
| Control:                | Stand-alone; DMX                             |
| Fixtures available for: | Light J                                      |
| Beam angle (1/2 peak):  | 15°                                          |
| Housing color:          | Black                                        |
| Dimensions:             | Width: 80 cm<br>Depth: 9 cm<br>Height: 23 cm |
| Weight:                 | 6.48 kg                                      |
| DMX channels:           | 7                                            |
| DMX connection:         | 3-pin XLR                                    |
| Sound-control:          | via built-in microphone                      |
| LED type:               | 5 mm                                         |
| LED number:             | 256                                          |
| Beam angle:             | 15°                                          |
| Mounting hole:          | D = 36 mm                                    |

|                         |                   |
|-------------------------|-------------------|
| Dimensions (L x W x H): | 800 x 90 x 230 mm |
|-------------------------|-------------------|

**OMNITRONIC XLR Cable 3-pin 1m bk**

|                     |                               |
|---------------------|-------------------------------|
| Cable construction: | 2 x 0.22 mm² microphone cable |
| Cable length:       | 1 m                           |
| Plug A:             | 1 x 3-pin XLR (M)             |
| Plug B:             | 1 x 3-pin XLR (F)             |
| Color:              | Black                         |
| Weight:             | 0.10 kg                       |
| Material:           | Metal                         |

**Scope of delivery:**

- 1 x device
- 1 x user manual
- 2 x knurled screw