

EUROLITE AKKU Mini PARTY RGBW Spot MK2

DMX spotlight with 12 x 1 W LED in the colors red, green, blue and white

Art. No.: 42110205

GTIN: 4026397695489



Features:

- Compact design
- Charging and operation also possible via USB power bank
- Cordless, flexible and versatile
- 3 LEDs 1 W SMD 8072 red (R)
- 3 LEDs 1 W SMD 8072 green (G)
- 3 LEDs 1 W SMD 8072 blue (B)
- 3 LEDs 1 W SMD 8072 cold white (CW)
- Color blend stepless; color change adjustable; Dimmer electronic
- Strobe effect
- Can be operated in 4; 6 CH mode
- The device is cooled by cooling fan
- Control via IR remote control; stand-alone; DMX; sound to light via microphone; master/slave function
- Flicker-free
- With a beam angle of 7°
- With mounting bracket
- Monochrome 4 digit 7-segment LED display
- For application areas such as: Party room; decoration
- Application possibility: Standing; suspended; on stand
- **mounting bracket**
- Easy installation
- The article is delivered dismantled

Logistic

EAN / GTIN: 4026397695489

Weight: 0,68 kg

Length: 0.15 m

Width: 0.13 m

Height: 0.12 m

Technical specifications:

Power supply:	5V DC
Power consumption:	5 W
Protection class:	Protection class III
Power connection:	Battery/battery pack Mains input via USB C (W) mounting version power supply cord for USB A mains connection (provided)
Battery pack type:	1 x lithium ion 3.7 V, 2600 mAh, 9.62 Wh
Lamp type:	LED lamp
LED type:	Each 3 x 1 W SMD 8072 red (R) Each 3 x 1 W SMD 8072 green (G) Each 3 x 1 W SMD 8072 blue (B) Each 3 x 1 W SMD 8072 cold white (CW)
Flash rate:	0.5 - 15 Hz
DMX channels:	4; 6
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Cooling:	1 x cooling fan
Control:	IR remote control; stand-alone; DMX; sound to light via microphone; master/slave function
Fixtures available for:	Light Captain; Light J; Colorchief
Projection:	Flicker-free
PWM frequency:	15600 Hz
Beam angle:	7°
Beam angle (1/2 peak):	7°
Beam angle (1/10 peak):	22°
Color temperature:	7300K
Housing color:	Black matte
Attachment system:	2x mounting bracket
Display type:	1 x monochrome 4 digit 7-segment LED display
Status LED:	Charge status indicator
Dimensions:	Width: 15 cm Depth: 9 cm Height: 15 cm
Weight:	0.61 kg
Noise classification:	Class 2 (slight noise)
Material:	Plastic hard
Battery:	1 x button cell 3.0 V CR2025 lithium manganese built-in
Setup:	Easy installation
Diameter mounting holes:	1 x Ø10.7mm; 2 x Ø8mm
Material:	Metal

Scope of delivery:

1 x spotlight
1 x user manual
1 x external mains adapter
1 x USB cable
1 x remote control
1 x battery
2 x mounting bracket
2 x washer
2 x knurled screw